


**Pro-Series Anti-Slip Screwdrivers**

Ergonomic soft handle design, comfort and practicality are the notable features of this super-grip handle. The special, new developed anti-slip soft plastic material on the handle is delicately formed to fit users' palm shapes, so the comfort is doubtless.



**Pro-Series Slotted Anti-Slip Screwdrivers**

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- Ergonomic designed handle provides optimum comfort and slip resistance grip
- Improved PP+special soft plastic material for better anti-alkali, acid and corrosion effect



| TYPE | ITEM NO. | SIZE (mm) | L1 (mm) | L (mm) | Hand | Box |
|------|----------|-----------|---------|--------|------|-----|
|      | FAAD0410 | 4 0.8     | 100     | 215    | 5    | 40  |
|      | FAAD5E10 | 5.5 1.0   | 100     | 215    | 5    | 40  |
|      | FAAD5E15 | 5.5 1.0   | 150     | 265    | 5    | 40  |
|      | FAAD6E10 | 6.5 1.2   | 100     | 215    | 5    | 40  |
|      | FAAD6E15 | 6.5 1.2   | 150     | 265    | 5    | 40  |

**Pro-Series Phillips Anti-Slip Screwdrivers**

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- Ergonomic designed handle provides optimum comfort and slip resistance grip
- Improved PP+special soft plastic material for better anti-alkali, acid and corrosion effect



| TYPE | ITEM NO. | SIZE    | L1 (mm) | L (mm) | Hand | Box |
|------|----------|---------|---------|--------|------|-----|
|      | FBAD0110 | PH1 100 | 215     | 5      | 40   |     |
|      | FBAD0210 | PH2 100 | 215     | 5      | 40   |     |
|      | FBAD0215 | PH2 150 | 265     | 5      | 40   |     |

**5PCS Slotted & Phillips Super-Grip Screwdriver Set**



| ITEM NO. | CONTENTS  | Box      |
|----------|---|----------|
| GAAE0507 | <ul style="list-style-type: none"> <li>• FAAD0410~6E15</li> <li>• Slotted Anti-Slip Screwdrivers 4x100, 5.5x100, 6.5x150</li> <li>• FBAD0110 &amp; 0210</li> <li>• Phillips Anti-Slip Screwdrivers PH1x100 &amp; PH2x100</li> </ul> | 20 (SET) |

**Stubby Slotted Anti-Slip Screwdrivers**

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



| TYPE | ITEM NO. | SIZE (mm) | L1 (mm) | L (mm) | Hand | Box |
|------|----------|-----------|---------|--------|------|-----|
|      | FABB0403 | 4 0.8     | 25      | 85     | 5    | 80  |
|      | FABB5E03 | 5.5 1.0   | 25      | 85     | 5    | 80  |
|      | FABB6E03 | 6.5 1.2   | 25      | 85     | 5    | 80  |

**Stubby Phillips Anti-Slip Screwdrivers**

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



| TYPE | ITEM NO. | SIZE   | L1 (mm) | L (mm) | Hand | Box |
|------|----------|--------|---------|--------|------|-----|
|      | FBBB0103 | PH1 25 | 85      | 5      | 80   |     |
|      | FBBB0203 | PH2 25 | 85      | 5      | 80   |     |

**Stubby Pozidriv Anti-Slip Screwdrivers**

- Professional S2 Alloy Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



| TYPE | ITEM NO. | SIZE   | L1 (mm) | L (mm) | Hand | Box |
|------|----------|--------|---------|--------|------|-----|
|      | FCBB0103 | PZ1 25 | 85      | 5      | 80   |     |
|      | FCBB0203 | PZ2 25 | 85      | 5      | 80   |     |

**Slotted Anti-Slip Screwdrivers**

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- Precision-machined parallel faces enables flush contact with the sides of the slot in the screw head
- PP+TPR material non-slippery grip handle



| TYPE | ITEM NO. | SIZE (mm) | L1 (mm) | L (mm) | Hand | Box |
|------|----------|-----------|---------|--------|------|-----|
|      | FNAB2E08 | 2.5 0.4   | 75      | 162    | 5    | 40  |
|      | FNAB0308 | 3 0.5     | 75      | 162    | 5    | 40  |
|      | FNAB3E10 | 3.5 0.6   | 100     | 187    | 5    | 40  |
|      | FNAB3E15 | 3.5 0.6   | 150     | 237    | 5    | 40  |
|      | FNAB0415 | 4 0.8     | 150     | 255    | 5    | 40  |

**Slotted Anti-Slip Screwdrivers**

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



| TYPE | ITEM NO. | SIZE (mm) | L1 (mm) | L (mm) | Hand | Box |
|------|----------|-----------|---------|--------|------|-----|
|      | FAAB0308 | 3 0.5     | 75      | 162    | 5    | 40  |
|      | FAAB3E10 | 3.5 0.6   | 100     | 187    | 5    | 40  |
|      | FAAB0410 | 4 0.8     | 100     | 205    | 5    | 40  |
|      | FAAB0510 | 5 0.8     | 100     | 205    | 5    | 40  |
|      | FAAB5E10 | 5.5 1.0   | 100     | 215    | 5    | 40  |
|      | FAAB5E15 | 5.5 1.0   | 150     | 265    | 5    | 40  |
|      | FAAB6E10 | 6.5 1.2   | 100     | 215    | 5    | 40  |
|      | FAAB6E15 | 6.5 1.2   | 150     | 265    | 5    | 40  |
|      | FAAB6E20 | 6.5 1.2   | 200     | 315    | 5    | 30  |
|      | FAAB0818 | 8 1.2     | 175     | 300    | 5    | 40  |
|      | FAAB1020 | 10 1.6    | 200     | 325    | 5    | 30  |

**Phillips Anti-Slip Screwdrivers**

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



| TYPE | ITEM NO. | SIZE    | L1 (mm) | L (mm) | Hand | Box |
|------|----------|---------|---------|--------|------|-----|
|      | FBAB0006 | PH0 60  | 147     | 5      | 40   |     |
|      | FBAB0108 | PH1 80  | 185     | 5      | 40   |     |
|      | FBAB0110 | PH1 100 | 205     | 5      | 40   |     |
|      | FBAB0210 | PH2 100 | 215     | 5      | 40   |     |
|      | FBAB0215 | PH2 150 | 265     | 5      | 40   |     |
|      | FBAB0220 | PH2 200 | 315     | 5      | 30   |     |
|      | FBAB0315 | PH3 150 | 275     | 5      | 30   |     |

**Pozidriv Anti-Slip Screwdrivers**

- Professional S2 Alloy Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



| TYPE | ITEM NO. | SIZE    | L1 (mm) | L (mm) | Hand | Box |
|------|----------|---------|---------|--------|------|-----|
|      | FCAB0006 | PZ0 60  | 147     | 5      | 40   |     |
|      | FCAB0108 | PZ1 80  | 185     | 5      | 40   |     |
|      | FCAB0210 | PZ2 100 | 215     | 5      | 40   |     |
|      | FCAB0315 | PZ3 150 | 275     | 5      | 30   |     |

**Star Anti-Slip Screwdrivers**

- Professional S2 Alloy Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



| TYPE | ITEM NO. | SIZE    | L1 (mm) | L (mm) | Hand | Box |
|------|----------|---------|---------|--------|------|-----|
|      | FFAB0608 | T6 75   | 162     | 5      | 40   |     |
|      | FFAB0708 | T7 75   | 162     | 5      | 40   |     |
|      | FFAB0808 | T8 75   | 162     | 5      | 40   |     |
|      | FFAB0908 | T9 75   | 162     | 5      | 40   |     |
|      | FFAB1008 | T10 75  | 162     | 5      | 40   |     |
|      | FFAB1508 | T15 75  | 180     | 5      | 40   |     |
|      | FFAB2010 | T20 100 | 205     | 5      | 40   |     |
|      | FFAB2510 | T25 100 | 215     | 5      | 40   |     |
|      | FFAB2710 | T27 100 | 215     | 5      | 40   |     |
|      | FFAB3013 | T30 125 | 240     | 5      | 40   |     |
|      | FFAB4015 | T40 150 | 275     | 5      | 40   |     |

**Star Tamperproof Anti-Slip Screwdrivers**

- Professional S2 Alloy Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



| TYPE | ITEM NO. | SIZE    | L1 (mm) | L (mm) | Hand | Box |
|------|----------|---------|---------|--------|------|-----|
|      | FEAB0808 | T8 75   | 162     | 5      | 40   |     |
|      | FEAB0908 | T9 75   | 162     | 5      | 40   |     |
|      | FEAB1008 | T10 75  | 162     | 5      | 40   |     |
|      | FEAB1508 | T15 75  | 180     | 5      | 40   |     |
|      | FEAB2010 | T20 100 | 205     | 5      | 40   |     |
|      | FEAB2510 | T25 100 | 215     | 5      | 40   |     |
|      | FEAB2710 | T27 100 | 215     | 5      | 40   |     |
|      | FEAB3013 | T30 125 | 240     | 5      | 40   |     |
|      | FEAB4015 | T40 150 | 275     | 5      | 40   |     |

**Square Anti-Slip Screwdrivers**

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



| TYPE | ITEM NO. | SIZE    | L1 (mm) | L (mm) | Hand | Box |
|------|----------|---------|---------|--------|------|-----|
|      | FJAB0110 | SQ1 100 | 215     | 5      | 40   |     |
|      | FJAB0213 | SQ2 125 | 240     | 5      | 40   |     |
|      | FJAB0315 | SQ3 150 | 265     | 5      | 30   |     |

**Extra Long Slotted Anti-Slip Screwdrivers**

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



| TYPE | ITEM NO. | (mm) | (mm) | L1 (mm) | L (mm) | ⊕ | ⊖  |
|------|----------|------|------|---------|--------|---|----|
|      | FACB0440 | 4    | 0.8  | 400     | 505    | 5 | 10 |
|      | FACB5E40 | 5.5  | 1.0  | 400     | 515    | 5 | 10 |
|      | FACB6E25 | 6.5  | 1.2  | 250     | 365    | 5 | 30 |
|      | FACB6E30 | 6.5  | 1.2  | 300     | 415    | 5 | 10 |
|      | FACB6E40 | 6.5  | 1.2  | 400     | 515    | 5 | 10 |
|      | FACB1030 | 10   | 1.6  | 300     | 425    | 5 | 10 |
|      | FACB1040 | 10   | 1.6  | 400     | 525    | 5 | 10 |

**Slotted Anti-Slip Screwdrivers (Hexagon Steel & Hexagon Driver)**

- Expert quality, specially hardened and tempered SNCM+V Steel hexagonal blade
- Strong grip on blade with hex shoulder to use on a wrench for extra leverage
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



| TYPE | ITEM NO. | (mm) | (mm) | L1 (mm) | L (mm) | ⊕ | ⊖  |
|------|----------|------|------|---------|--------|---|----|
|      | FAHB5E10 | 5.5  | 1.0  | 100     | 205    | 5 | 40 |
|      | FAHB6E15 | 6.5  | 1.2  | 150     | 265    | 5 | 40 |
|      | FAHB0818 | 8    | 1.2  | 175     | 300    | 5 | 40 |
|      | FAHB1020 | 10   | 1.6  | 200     | 325    | 5 | 30 |

**Go-Thru Slotted Screwdrivers (Hexagon Steel & Hexagon Driver)**

- Expert quality, specially hardened and tempered SNCM+V Steel hexagonal blade
- Strong grip on blade with hex shoulder to use on a wrench for extra leverage
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



| TYPE | ITEM NO. | (mm) | (mm) | L1 (mm) | L (mm) | ⊕ | ⊖  |
|------|----------|------|------|---------|--------|---|----|
|      | FAGB5E10 | 5.5  | 1.0  | 100     | 215    | 5 | 40 |
|      | FAGB6E15 | 6.5  | 1.2  | 150     | 265    | 5 | 40 |
|      | FAGB0818 | 8    | 1.2  | 175     | 300    | 5 | 40 |
|      | FAGB1020 | 10   | 1.6  | 200     | 325    | 5 | 30 |

**Go-Thru Extra Long Slotted Screwdrivers (Hexagon Steel & Hexagon Driver)**

- Expert quality, specially hardened and tempered SNCM+V Steel hexagonal blade
- Strong grip on blade with hex shoulder to use on a wrench for extra leverage
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



| TYPE | ITEM NO. | (mm) | (mm) | L1 (mm) | L (mm) | ⊕ | ⊖  |
|------|----------|------|------|---------|--------|---|----|
|      | FALB1025 | 10   | 1.6  | 250     | 375    | 5 | 20 |
|      | FALB1030 | 10   | 1.6  | 300     | 425    | 5 | 10 |
|      | FALB1040 | 10   | 1.6  | 400     | 525    | 5 | 10 |

**Extra Long Phillips Anti-Slip Screwdrivers**

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



| TYPE | ITEM NO. | SIZE | L1 (mm) | L (mm) | ⊕ | ⊖  |
|------|----------|------|---------|--------|---|----|
|      | FBCB0125 | PH1  | 250     | 355    | 5 | 30 |
|      | FBCB0140 | PH1  | 400     | 505    | 5 | 10 |
|      | FBCB0225 | PH2  | 250     | 365    | 5 | 30 |
|      | FBCB0230 | PH2  | 300     | 415    | 5 | 10 |
|      | FBCB0240 | PH2  | 400     | 515    | 5 | 10 |

**Phillips Anti-Slip Screwdrivers (Hexagon Steel & Hexagon Driver)**

- Expert quality, specially hardened and tempered SNCM+V Steel hexagonal blade
- Strong grip on blade with hex shoulder to use on a wrench for extra leverage
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



| TYPE | ITEM NO. | SIZE | L1 (mm) | L (mm) | ⊕ | ⊖  |
|------|----------|------|---------|--------|---|----|
|      | FBHB0108 | PH1  | 75      | 180    | 5 | 40 |
|      | FBHB0210 | PH2  | 100     | 215    | 5 | 40 |
|      | FBHB0315 | PH3  | 150     | 275    | 5 | 30 |

**Go-Thru Phillips Screwdrivers (Hexagon Steel & Hexagon Driver)**

- Expert quality, specially hardened and tempered SNCM+V Steel hexagonal blade
- Strong grip on blade with hex shoulder to use on a wrench for extra leverage
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle



| TYPE | ITEM NO. | SIZE | L1 (mm) | L (mm) | ⊕ | ⊖  |
|------|----------|------|---------|--------|---|----|
|      | FBGB0108 | PH1  | 75      | 190    | 5 | 40 |
|      | FBGB0210 | PH2  | 100     | 215    | 5 | 40 |
|      | FBGB0215 | PH2  | 150     | 265    | 5 | 40 |
|      | FBGB0315 | PH3  | 150     | 275    | 5 | 30 |

**Flexible Spinner Handle**

- Chrome Vanadium Steel
- Extra harden and high durability
- Anti-slip ergonomic designed handle



| ITEM NO. | DRIVE (inch) | L1 (mm) | L (mm) | ⊕ | ⊖  |
|----------|--------------|---------|--------|---|----|
| CASP0829 | 1/4          | 175     | 290    | 5 | 40 |

**Flexible Bit Holder with Handle**

- Chrome Vanadium Steel
- Extra harden and high durability
- Anti-slip ergonomic designed handle



| ITEM NO. | HEX (inch) | L1 (mm) | L (mm) | ⊕ | ⊖  |
|----------|------------|---------|--------|---|----|
| FTCA0829 | 1/4        | 175     | 290    | 5 | 40 |

**Magnetic Bit Holder with Handle**

- Chrome Vanadium Steel
- Extra harden and high durability
- Anti-slip ergonomic designed handle



| ITEM NO. | HEX (inch) | L1 (mm) | L (mm) | ⊕ | ⊖  |
|----------|------------|---------|--------|---|----|
| FTBA0824 | 1/4        | 125     | 240    | 5 | 40 |

**Nutspinner**

- Chrome Vanadium Steel
- Extra harden and high durability
- Anti-slip ergonomic designed handle



| ITEM NO. | SIZE (mm) | L1 (mm) | L (mm) | ⊕ | ⊖  |
|----------|-----------|---------|--------|---|----|
| FGAB0413 | 4         | 125     | 230    | 5 | 40 |
| FGAB0513 | 5         | 125     | 230    | 5 | 40 |
| FGAB0613 | 6         | 125     | 230    | 5 | 40 |
| FGAB0713 | 7         | 125     | 230    | 5 | 40 |
| FGAB0813 | 8         | 125     | 240    | 5 | 40 |
| FGAB0913 | 9         | 125     | 240    | 5 | 40 |
| FGAB1013 | 10        | 125     | 240    | 5 | 40 |
| FGAB1113 | 11        | 125     | 250    | 5 | 30 |
| FGAB1213 | 12        | 125     | 250    | 5 | 30 |
| FGAB1313 | 13        | 125     | 250    | 5 | 30 |

**58PCS Professional Grade Screwdriver & Bit Set**



| ITEM NO. | CONTENTS  | 3 (SET) |
|----------|---|---------|
| GAA15801 | 3 FIB0205-0305 Precision Slotted Screwdrivers 2x50, 2.5x50, 3x50                              |         |
|          | 2 FIB1005 & 2005 Precision Phillips Screwdrivers PH0x50 & PH00x50                             |         |
|          | 3 FFIB1005-2005 Precision Star Screwdrivers T10x50, T15x50, T20x50                            |         |
|          | 2 FABB5E03 & 6E03 Stubby Slotted Anti-Slip Screwdrivers 5.5x25 & 6.5x25                       |         |
|          | 2 FBBB0103 & 0203 Stubby Phillips Anti-Slip Screwdrivers PH1x25 & PH2x25                      |         |
|          | 4 FBAB0006-0315 Phillips Anti-Slip Screwdrivers PH0x60, PH1x80, PH2x100, PH3x150              |         |
|          | 4 FAAB0410-0818 Slotted Anti-Slip Screwdrivers 4x100, 5.5x100, 6.5x150, 8x175                 |         |
|          | 5 FSAA0803-0808 1/4" Hex Shank Slotted Insert Bits 3, 4, 5.5, 6.5, 8 mm                       |         |
|          | 4 FSBA0800-0803 1/4" Hex Shank Phillips Insert Bits PH0, PH1, PH2, PH3                        |         |
|          | 4 FSCA0800-0803 1/4" Hex Shank Pozidriv Insert Bits P20, PZ1, PZ2, PZ3                        |         |
|          | 7 FSDA0802-0808 1/4" Hex Shank Hexagon Insert Bits 2, 2.5, 3, 4, 5, 6, 8 mm                   |         |
|          | 7 FSEA0810-0840 1/4" Hex Shank Star Insert Bits T10, T15, T20, T25, T27, T30, T40             |         |
|          | 7 FSGA0810-0840 1/4" Hex Shank Star Tamperproof Insert Bits T10, T15, T20, T25, T27, T30, T40 |         |
|          | 1 FTCA0829 1/4" (H) Flexible Bit Holder with Handle   |         |
|          | 1 FTBA0824 1/4" (H) Magnetic Bit Holder with Handle   |         |
|          | 1 FAJA0315 Voltage Tester, CE Approval - 145mm(L) (Voltage Range 120 - 250 V/AC)              |         |
|          | 1 FTDC0808 1/4" (H) Magnetic Power Bit Holder   |         |



**Offset Screwdrivers - Slotted**

- Blade made from special high quality SVCM tool steel
- Ideal for use in confined spaces



| TYPE | ITEM NO. | (mm) | (mm) | L1 (mm) | L2 (mm) | ⊕  | ⊖   |
|------|----------|------|------|---------|---------|----|-----|
|      | FAKA3E3E | 3.5  | 0.6  | 10      | 90      | 20 | 640 |
|      | FAKA0404 | 4.0  | 0.8  | 12      | 100     | 15 | 240 |
|      | FAKA5E5E | 5.5  | 1.0  | 16      | 125     | 15 | 240 |
|      | FAKA0808 | 8.0  | 1.2  | 20      | 150     | 15 | 240 |
|      | FAKA1010 | 10   | 1.6  | 25      | 175     | 5  | 80  |

**Offset Screwdrivers - Phillips**


- Blade made from special high quality SVCM tool steel
- Ideal for use in confined spaces



| TYPE | ITEM NO. | SIZE    | L1 (mm) | L2 (mm) | ⊕  | ⊖   |
|------|----------|---------|---------|---------|----|-----|
|      | FBKA0102 | PH1xPH2 | 20      | 100     | 15 | 240 |
|      | FBKA0304 | PH3xPH4 | 30      | 200     | 5  | 40  |

**Magnetizer & Demagnetizer**

- High-quality plastic, shock resistant, with two permanent magnets
- Designed for magnetizing or demagnetizing screwdriver blades, tweezers and similar steel tools



| ITEM NO. | SIZE(W)x(D)x(H)mm | ⊕  | ⊖   |
|----------|-------------------|----|-----|
| FWAM0505 | 55x50x28          | 10 | 120 |

Instructions  
Insert the screwdriver blades through the bottom, rectangular opening (+) to magnetize blades or through the top opening (-) to demagnetize blades.



**TOPTUL**  
SCREWDRIVER SERIES

**4PCS**  
Phillips Super-Grip Screwdriver Set



| ITEM NO. | CONTENTS   | 20 (SET) |
|----------|--|----------|
| GAAE0401 | 4 FBAB0006-0315<br>Phillips Anti-Slip Screwdrivers<br>PH0x60, PH1x80, PH2x100, PH3x150 |          |

**5PCS**  
Slotted Super-Grip Screwdriver Set



| ITEM NO. | CONTENTS  | 20 (SET) |
|----------|---|----------|
| GAAE0503 | 5 FAAB0308-6E15<br>Slotted Anti-Slip Screwdrivers<br>3x75, 3.5x100, 4x100, 5.5x100, 6.5x150 |          |

**6PCS**  
Star Tamperproof Super-Grip Screwdriver Set



| ITEM NO. | CONTENTS   | 20 (SET) |
|----------|--|----------|
| GAAE0610 | 6 FEAB1008-4015<br>Star Tamperproof Anti-Slip Screwdrivers<br>T10x75, T15x75, T20x100, T25x100, T30x125, T40x150 |          |

**5PCS**  
Slotted & Phillips Super-Grip Screwdriver Set



| ITEM NO. | CONTENTS   | 20 (SET) |
|----------|--|----------|
| GAAE0504 | 3 FAAB5E10-0818<br>Slotted Anti-Slip Screwdrivers<br>5.5x100, 6.5x150, 8x175<br>2 FBAB0108 & 0210<br>Phillips Anti-Slip Screwdrivers<br>PH1x80 & PH2x100 |          |

**6PCS**  
Slotted & Phillips Super-Grip Screwdriver Set



| ITEM NO. | CONTENTS  | 20 (SET) |
|----------|---|----------|
| GAAE0611 | 3 FAAB0410-1020<br>Slotted Anti-Slip Screwdrivers<br>4x100, 6.5x150, 10x200<br>3 FBAB0108-0315<br>Phillips Anti-Slip Screwdrivers<br>PH1x80, PH2x100, PH3x150 |          |

**6PCS**  
Slotted & Pozidriv Super-Grip Screwdriver Set



| ITEM NO. | CONTENTS   | 20 (SET) |
|----------|--|----------|
| GAAE0604 | 4 FAAB0308-6E15<br>Slotted Anti-Slip Screwdrivers<br>3x75, 4x100, 5.5x100, 6.5x150<br>2 FCAB0108 & 0210<br>Pozidriv Anti-Slip Screwdrivers<br>PZ1x80 & PZ2x100 |          |

**6PCS**  
Go-Thru Slotted & Phillips Screwdriver Set  
(Hexagon Steel & Hexagon Driver)



| ITEM NO. | CONTENTS   | 20 (SET) |
|----------|--|----------|
| GAAE0605 | 4 FAGB5E10-1020<br>Go-Thru Slotted Screwdrivers<br>(Hexagon Steel & Hexagon Driver)<br>5.5x100, 6.5x150, 8x175, 10x200<br>2 FBGB0108 & 0210<br>Go-Thru Phillips Screwdrivers<br>(Hexagon Steel & Hexagon Driver)<br>PH1x75 & PH2x100 |          |

**6PCS**  
Go-Thru Slotted & Phillips Screwdriver Set  
(Hexagon Steel & Hexagon Driver)



| ITEM NO. | CONTENTS   | 20 (SET) |
|----------|--|----------|
| GAAE0613 | 3 FAGB5E10-0818<br>Go-Thru Slotted Screwdrivers<br>(Hexagon Steel & Hexagon Driver)<br>5.5x100, 6.5x150, 8x175<br>3 FBGB0108-0315<br>Go-Thru Phillips Screwdrivers<br>(Hexagon Steel & Hexagon Driver)<br>PH1x75, PH2x100, PH3x150 |          |

**6PCS**  
Slotted & Phillips Super-Grip Screwdriver Set  
(Hexagon Steel & Hexagon Driver)



| ITEM NO. | CONTENTS   | 20 (SET) |
|----------|--|----------|
| GAAE0608 | 4 FAHB5E10-1020<br>Slotted Anti-Slip Screwdrivers<br>(Hexagon Steel & Hexagon Driver)<br>5.5x100, 6.5x150, 8x175, 10x200<br>2 FBHB0108 & 0210<br>Phillips Anti-Slip Screwdrivers<br>(Hexagon Steel & Hexagon Driver)<br>PH1x75 & PH2x100 |          |

**8PCS**  
Slotted & Phillips Super-Grip Screwdriver Set



| ITEM NO. | CONTENTS  | 20 (SET) |
|----------|---|----------|
| GAAE0807 | 5 FAAB3E10-0818<br>Slotted Anti-Slip Screwdrivers<br>3.5x100, 4x100, 5.5x100, 6.5x150, 8x175<br>3 FBAB0006-0210<br>Phillips Anti-Slip Screwdrivers<br>PH0x60, PH1x80, PH2x100 |          |

**3PCS**  
Extra Long Slotted & Phillips Super-Grip Screwdriver Set



| ITEM NO. | CONTENTS  | 8 (SET) |
|----------|---|---------|
| GAAE0305 | 1 FACB5E40<br>Extra Long Slotted Anti-Slip Screwdriver<br>5.5x400<br>2 FBCB0125 & 0225<br>Extra Long Phillips Anti-Slip Screwdrivers<br>PH1x250 & PH2x250 |         |

**3PCS**  
Extra Long Slotted & Phillips Super-Grip Screwdriver Set



| ITEM NO. | CONTENTS  | 8 (SET) |
|----------|---|---------|
| GAAE0306 | 2 FACB5E40 & 6E40<br>Extra Long Slotted Anti-Slip Screwdrivers<br>5.5x400 & 6.5x400<br>1 FBCB0240<br>Extra Long Phillips Anti-Slip Screwdriver<br>PH2x400 |         |

**8PCS**  
Super-Grip Screwdriver Set



| ITEM NO. | CONTENTS  | 20 (SET) |
|----------|---|----------|
| GAAE0821 | 5 FAAB3E10-0818<br>Slotted Anti-Slip Screwdrivers<br>3.5x100, 4x100, 5.5x100, 6.5x150, 8x175<br>1 FBAB0210<br>Phillips Anti-Slip Screwdriver<br>PH2x100<br>1 FCAB0210<br>Pozidriv Anti-Slip Screwdriver<br>PZ2x100<br>1 FJAB0213<br>Square Anti-Slip Screwdriver<br>SQ2x125 |          |

**14PCS**  
Slotted & Phillips Screwdriver Set



| ITEM NO. | CONTENTS  | 5 (SET) |
|----------|---|---------|
| GZC1401  | 4 FAAB0308-6E15<br>Slotted Anti-Slip Screwdrivers<br>3x75, 3.5x100, 4x100, 5.5x150<br>2 FAHB6E15 & 0818<br>Slotted Anti-Slip Screwdrivers<br>(Hexagon Steel & Hexagon Driver)<br>6.5x150 & 8x175<br>2 FABB5E03 & 6E03<br>Stubby Slotted Anti-Slip Screwdrivers<br>5.5x25 & 6.5x25<br>2 FBAB0006 & 0108<br>Phillips Anti-Slip Screwdrivers<br>PH0x60 & PH1x80<br>2 FBHB0210 & 0315<br>Phillips Anti-Slip Screwdrivers<br>(Hexagon Steel & Hexagon Driver)<br>PH2x100 & PH3x150<br>2 FBBB0103 & 0203<br>Stubby Phillips Anti-Slip Screwdrivers<br>PH1x25 & PH2x25 |         |

**20PCS**  
Professional Screwdriver & Bit Set



| ITEM NO. | CONTENTS   | 5 (SET) |
|----------|--|---------|
| GZC2005  | 4 FAAB0308-6E15<br>Slotted Anti-Slip Screwdrivers<br>3x75, 3.5x100, 4.0x100, 6.5x150<br>1 FABB5E03<br>Stubby Slotted Anti-Slip Screwdriver<br>5.5x25<br>1 FAGB0818<br>Go-Thru Slotted Screwdriver<br>(Hexagon Steel & Hexagon Driver) - 8x175<br>3 FBAB0006-0210<br>Phillips Anti-Slip Screwdrivers<br>PH0x60, PH1x80, PH2x100<br>1 FBBB0203<br>Stubby Phillips Anti-Slip Screwdriver<br>PH2x25<br>1 FCAB0210<br>Pozidriv Anti-Slip Screwdriver<br>PZ2x100<br>1 FJAB0213<br>Square Anti-Slip Screwdriver<br>SQ2x125<br>1 FTEA0806<br>1/4" (Hex) Reversible Ratchet Screwdriver<br>GAAV0701<br>1/4" Hex Screwdriver Bit Set<br>2, 2.5, 3, 4, 5, 6, 8 mm |         |

**11PCS**  
Slotted & Phillips Super-Grip Screwdriver Set



| ITEM NO. | CONTENTS   | 10 (SET) |
|----------|--|----------|
| GAAE1101 | 7 FAAB0308-1020<br>Slotted Anti-Slip Screwdrivers<br>3x75, 3.5x100, 4x100, 5.5x100, 6.5x150, 8x175, 10x200<br>4 FBAB0006-0315<br>Phillips Anti-Slip Screwdrivers<br>PH0x60, PH1x80, PH2x100, PH3x150 |          |



**8PCS Precision Slotted Screwdrivers**



| TYPE | ITEM NO. | (mm) | (mm) | L1 (mm) | L (mm) | ⊖ | ⊕  |
|------|----------|------|------|---------|--------|---|----|
|      | FAIB1B05 | 1.2  | 0.25 | 50      | 140    | 5 | 80 |
|      | FAIB1E05 | 1.5  | 0.25 | 50      | 140    | 5 | 80 |
|      | FAIB0205 | 2    | 0.4  | 50      | 140    | 5 | 80 |
|      | FAIB2E05 | 2.5  | 0.4  | 50      | 140    | 5 | 80 |
|      | FAIB0305 | 3    | 0.5  | 50      | 140    | 5 | 80 |

**8PCS Precision Screwdriver Set (Star Type)**



| ITEM NO. | CONTENTS  | 40 (SET) |
|----------|---|----------|
| GAAW0801 | <ul style="list-style-type: none"> <li>FFIB0505-2005 Precision Star Screwdrivers T5x50, T6x50, T7x50, T8x50, T9x50, T10x50, T15x50, T20x50</li> </ul> |          |

**8PCS 14-In-1 Precision Screwdriver Set**



| ITEM NO. | CONTENTS  | 40 (SET) |
|----------|---|----------|
| GAAW0804 | <ul style="list-style-type: none"> <li>T6xT10, T7xT15, T8xT20, T9xT25</li> <li>#00x2, #0x3, #1x4</li> <li>Screwdriver handle</li> </ul> |          |

**8PCS Precision Phillips Screwdrivers**



| TYPE | ITEM NO. | SIZE  | L1 (mm) | L (mm) | ⊖ | ⊕  |
|------|----------|-------|---------|--------|---|----|
|      | FBIB1005 | PH0   | 50      | 140    | 5 | 80 |
|      | FBIB2005 | PH00  | 50      | 140    | 5 | 80 |
|      | FBIB3005 | PH000 | 50      | 140    | 5 | 80 |

**8PCS Precision Screwdriver Set (Slotted & Phillips Type)**



| ITEM NO. | CONTENTS   | 40 (SET) |
|----------|--|----------|
| GAAW0802 | <ul style="list-style-type: none"> <li>FAIB1B05-0305 Precision Slotted Screwdrivers 1.2x50, 1.5x50, 2x50, 2.5x50, 3x50</li> <li>FBIB1005-3005 Precision Phillips Screwdrivers PH0x50, PH00x50, PH000x50</li> </ul> |          |

**8PCS Precision Star Screwdrivers**



| TYPE | ITEM NO. | SIZE | L1 (mm) | L (mm) | ⊖ | ⊕  |
|------|----------|------|---------|--------|---|----|
|      | FFIB0505 | T5   | 50      | 140    | 5 | 80 |
|      | FFIB0605 | T6   | 50      | 140    | 5 | 80 |
|      | FFIB0705 | T7   | 50      | 140    | 5 | 80 |
|      | FFIB0805 | T8   | 50      | 140    | 5 | 80 |
|      | FFIB0905 | T9   | 50      | 140    | 5 | 80 |
|      | FFIB1005 | T10  | 50      | 140    | 5 | 80 |
|      | FFIB1505 | T15  | 50      | 140    | 5 | 80 |
|      | FFIB2005 | T20  | 50      | 140    | 5 | 80 |

**8PCS Precision Screwdriver Set (Slotted, Phillips & Star Type)**




| ITEM NO. | CONTENTS  | 40 (SET) |
|----------|---|----------|
| GAAW0803 | <ul style="list-style-type: none"> <li>FAIB1E05-0305 Precision Slotted Screwdrivers 1.5x50, 2x50, 3x50</li> <li>FBIB1005-3005 Precision Phillips Screwdrivers PH0x50, PH00x50, PH000x50</li> <li>FFIB1505 &amp; 2005 Precision Star Screwdrivers T15x50 &amp; T20x50</li> </ul> |          |



**TOPTUL PRECISION SCREWDRIVERS SERIES**

**Go-Thru Slotted Screwdrivers**

- Made of expert quality, specially hardened and tempered Chrome Vanadium Alloy Steel
- Through-blade with stand moderate impact on end to free seized fasteners
- Precision machined, magnetic tip ensures a secure fit
- Optimum resilience and performance hexagonal blade with plastic handle
- Ergonomically designed handle provides a slip resistance grip



| TYPE | ITEM NO. | (mm) | (mm) | L1 (mm) | L (mm) | ⊖ | ⊕  |
|------|----------|------|------|---------|--------|---|----|
|      | FAGE0510 | 5    | 0.8  | 100     | 210    | 5 | 40 |
|      | FAGE5E13 | 5.5  | 1.0  | 125     | 235    | 5 | 40 |
|      | FAGE6E10 | 6.5  | 1.2  | 100     | 210    | 5 | 40 |
|      | FAGE6E15 | 6.5  | 1.2  | 150     | 260    | 5 | 40 |

**Go-Thru Phillips Screwdrivers**

- Made of expert quality, specially hardened and tempered Chrome Vanadium Alloy Steel
- Through-blade with stand moderate impact on end to free seized fasteners
- Precision machined, magnetic tip ensures a secure fit
- Optimum resilience and performance hexagonal blade with plastic handle
- Ergonomically designed handle provides a slip resistance grip



| TYPE | ITEM NO. | SIZE | L1 (mm) | L (mm) | ⊖ | ⊕  |
|------|----------|------|---------|--------|---|----|
|      | FBGE0110 | PH1  | 100     | 210    | 5 | 40 |
|      | FBGE0210 | PH2  | 100     | 210    | 5 | 40 |
|      | FBGE0213 | PH2  | 125     | 235    | 5 | 40 |

**Slotted Screwdrivers**

- Made of expert quality, specially hardened and tempered Chrome Vanadium Alloy Steel
- Precision machined, magnetic tip ensures a secure fit
- Ergonomically designed handle provides a slip resistance grip



| TYPE | ITEM NO. | (mm) | (mm) | L1 (mm) | L (mm) | ⊖ | ⊕  |
|------|----------|------|------|---------|--------|---|----|
|      | FAAE0510 | 5    | 0.8  | 100     | 210    | 5 | 40 |
|      | FAAE6E10 | 6.5  | 1.2  | 100     | 210    | 5 | 40 |
|      | FAAE6E15 | 6.5  | 1.2  | 150     | 260    | 5 | 40 |

**Phillips Screwdrivers**

- Made of expert quality, specially hardened and tempered Chrome Vanadium Alloy Steel
- Precision machined, magnetic tip ensures a secure fit
- Ergonomically designed handle provides a slip resistance grip



| TYPE | ITEM NO. | SIZE | L1 (mm) | L (mm) | ⊖ | ⊕  |
|------|----------|------|---------|--------|---|----|
|      | FBAE0110 | PH1  | 100     | 210    | 5 | 40 |
|      | FBAE0210 | PH2  | 100     | 210    | 5 | 40 |
|      | FBAE0213 | PH2  | 125     | 235    | 5 | 40 |

**NEW DEVELOPED SUPER GRIP TOPTUL PLASTIC HANDLE SCREWDRIVERS SERIES**

Through-blade withstands moderate impact on end to free seized screws

Precision machined, magnetic tip ensures a secure fit of screw

Expert quality, specially hardened and tempered Chrome Vanadium Alloy Steel hexagonal blade provides "High Strength" blade performance

Ergonomically designed handle provides a slip resistance grip

**4PCS Go-Thru Slotted & Phillips Screwdriver Set**



| ITEM NO. | CONTENTS  | 20 (SET) |
|----------|---|----------|
| GAAE0405 | <ul style="list-style-type: none"> <li>FAGE0510 &amp; 6E15 Go-Thru Slotted Screwdrivers 5x100 &amp; 6.5x150</li> <li>FBGE0110 &amp; 0213 Go-Thru Phillips Screwdrivers PH1x100 &amp; PH2x125</li> </ul> |          |

**5PCS Go-Thru Slotted & Phillips Screwdriver Set**



| ITEM NO. | CONTENTS  | 20 (SET) |
|----------|---|----------|
| GAAE0509 | <ul style="list-style-type: none"> <li>FAGE0510-6E15 Go-Thru Slotted Screwdrivers 5x100, 5.5x125, 6.5x150</li> <li>FBGE0110 &amp; 0213 Go-Thru Phillips Screwdrivers PH1x100 &amp; PH2x125</li> </ul> |          |

**4PCS Slotted & Phillips Screwdriver Set**



| ITEM NO. | CONTENTS  | 20 (SET) |
|----------|---|----------|
| GAAE0404 | <ul style="list-style-type: none"> <li>FAAE0510 &amp; 6E15 Slotted Screwdrivers 5x100 &amp; 6.5x150</li> <li>FBAE0110 &amp; 0213 Phillips Screwdrivers PH1x100 &amp; PH2x125</li> </ul> |          |

**5PCS Slotted & Phillips Screwdriver Set**



| ITEM NO. | CONTENTS  | 20 (SET) |
|----------|---|----------|
| GAAE0508 | <ul style="list-style-type: none"> <li>FAAE0510-6E15 Slotted Screwdrivers 5x100, 5.5x125, 6.5x150</li> <li>FBAE0110 &amp; 0213 Phillips Screwdrivers PH1x100 &amp; PH2x125</li> </ul> |          |

11 Pieces 20-in-1 Interchangeable Screwdriver Set

Features:

- Professional SNCM+V Alloy Steel Blade
- Precision Machined Magnetic Tip
- Double-Ended Reversible Blades
- Quick-Release Blade Retainer
- Anti-Slip Featured Grip



Ergonomic designed handle provides optimum comfort in use especially for high torque tightening and loosening works.



Special blade retainer with quick-release function locks the blade firmly in the place and provides an instant change between different sizes.

|   |       |          |
|---|-------|----------|
| ITEM NO.  | Satin | GAAI2101 |
| CONTENTS  |       | 20 (SET) |
| 1 FMAA0102  |       |          |
| 1/4" Hex Shank Double End Phillips Screwdriver Bits PH1xPH2 - 175mm (L)               |       |          |
| 1 FMBA0102  |       |          |
| 1/4" Hex Shank Double End Pozi Screwdriver Bits PZ1xPZ2 - 175mm (L)                   |       |          |
| 2 FMCA0406 & 0507   |       |          |
| 1/4" Hex Shank Double End Slotted Screwdriver Bits 4x6, 5x7mm - 175mm (L)             |       |          |
| 3 FMEA0404-0606   |       |          |
| 1/4" Hex Shank Hex & Ball Point Screwdriver Bits 4x4, 5x5, 6x6mm - 175mm (L)          |       |          |
| 3 FMDA1015-3040   |       |          |
| 1/4" Hex Shank Double End Star Screwdriver Bits T10xT15, T20xT25, T30xT40 - 175mm (L) |       |          |
| 1 COAJ0814  |       |          |
| 1/4" Hex Shank Screwdriver Handle 1/4" x 136mm (L)                                    |       |          |
| BLOW CASE: W240 x D170 x H50 (mm)   |       |          |

1/4" Hex Shank Screwdriver Handle



| ITEM NO. | HEX (inch) | L (mm) | Weight | Box Qty |
|----------|------------|--------|--------|---------|
| COAJ0814 | 1/4        | 136    | 5      | 40      |

1/4" Hex Shank Double End Phillips Screwdriver Bits



| TYPE | ITEM NO. | SIZE    | L (mm) | Weight | Box Qty |
|------|----------|---------|--------|--------|---------|
| +    | FMAA0102 | PH1xPH2 | 175    | 30     | 240     |

1/4" Hex Shank Double End Slotted Screwdriver Bits



| TYPE | ITEM NO. | SIZE  | L (mm) | Weight | Box Qty |
|------|----------|-------|--------|--------|---------|
| -    | FMCA0406 | 4x6mm | 175    | 30     | 240     |
| -    | FMCA0507 | 5x7mm | 175    | 30     | 240     |

1/4" Hex Shank Double End Pozi Screwdriver Bits



| TYPE | ITEM NO. | SIZE    | L (mm) | Weight | Box Qty |
|------|----------|---------|--------|--------|---------|
| +    | FMBA0102 | PZ1xPZ2 | 175    | 30     | 240     |

1/4" Hex Shank Phillips & Slotted Screwdriver Bits



| TYPE | ITEM NO. | SIZE    | L (mm) | Weight | Box Qty |
|------|----------|---------|--------|--------|---------|
| +    | FMFA0206 | PH2x6mm | 175    | 30     | 240     |

1/4" Hex Shank Double End Star Screwdriver Bits



| TYPE | ITEM NO. | SIZE    | L (mm) | Weight | Box Qty |
|------|----------|---------|--------|--------|---------|
| ☆    | FMDA1015 | T10xT15 | 175    | 30     | 240     |
| ☆    | FMDA2025 | T20xT25 | 175    | 30     | 240     |
| ☆    | FMDA3040 | T30xT40 | 175    | 30     | 240     |

1/4" Hex Shank Hex & Ball Point Screwdriver Bits



| TYPE | ITEM NO. | SIZE  | L (mm) | Weight | Box Qty |
|------|----------|-------|--------|--------|---------|
| ⊕    | FMEA0404 | 4x4mm | 175    | 30     | 240     |
| ⊕    | FMEA0505 | 5x5mm | 175    | 30     | 240     |
| ⊕    | FMEA0606 | 6x6mm | 175    | 30     | 240     |

TOPTUL High-Torque Ratchet Screwdriver Series

9-In-1

High-Torque Stubby Ratchet Screwdriver Set

- Quick change 1/4" hex shank bit holder
- 3 position, 36 teeth ratcheting action: Forward / Lock / Reverse
- High torque performance over 350 kgf-cm
- Rigid one piece all Stainless Steel construction, strong magnetic extension bit holder ensures both bits and screws firmly attached to the driver
- Textured non-slip, bi-component PP+TPR plastic handle



|   |          |
|---|----------|
| ITEM NO.  | GAAR1101 |
| CONTENTS  | 6 (SET)  |
| 1 FTED0817  |          |
| 1/4" (H) High-Torque Stubby Ratchet Screwdriver Handle with Storage (85mmL) |          |
| 1 FTDB0810  |          |
| 1/4" Hex Shank Extension Magnetic Bit Holder (95mmL)                        |          |
| 3 FSAA0804-086E   |          |
| 1/4" Hex Shank Slotted Insert Bits 4, 5.5, 6.5 (25mmL)                      |          |
| 2 FSBA0801 & 0802   |          |
| 1/4" Hex Shank Phillips Insert Bits PH1 & PH2 (25mmL)                       |          |
| 3 FSEA0815-0825   |          |
| 1/4" Hex Shank Star Insert Bits T15, T20, T25 (25mmL)                       |          |
| 1 FSKA0808  |          |
| 1/4" Hex Shank Socket Adapter 1/4" x 1/4" (25mmL)                           |          |

8-In-1

High-Torque Pistol Grip Ratchet Screwdriver Set

- Magnetic 1/4" hex shank bit holder
- 3 position, 20 teeth ratcheting action: Forward / Lock / Reverse
- High torque performance over 400 kgf-cm
- Adjustable handle (Pistol grip & Straight handle)
- Durable & comfortable bi-component plastic handle
- Includes 7 pieces S2 steel insert bits and one socket adapter. Internal bit storage (end cap carries 7 bits)



|   |          |
|---|----------|
| ITEM NO.  | GAAR0901 |
| CONTENTS  | 10 (SET) |
| 1 FTEG0820  |          |
| 1/4" (H) High-Torque Pistol Grip Ratchet Screwdriver Handle with Storage (200mmL) |          |
| 4 FSAA0804-0808   |          |
| 1/4" Hex Shank Slotted Insert Bits 4, 5.5, 6.5, 8 mm (25mmL)                      |          |
| 3 FSBA0801-0803   |          |
| 1/4" Hex Shank Phillips Insert Bits PH1, PH2, PH3 (25mmL)                         |          |
| 1 FPKA0808  |          |
| 1/4" (H) x 1/4" Dr. Socket Adapter (50mmL)  |          |

54PCS High-Torque Pistol Grip Ratchet Screwdriver, Bit & Socket Set

- Magnetic 1/4" hex shank bit holder
- 3 position, 20 teeth ratcheting action: Forward / Lock / Reverse
- High torque performance over 400 kgf-cm
- Adjustable handle (Pistol grip & Straight handle)
- Durable & comfortable bi-component plastic handle
- Set includes 38 pieces tempered & hardened S2 steel insert bits, 13 pieces CR-V steel sockets, 1 piece Stainless Steel magnetic bit holder, 1 piece socket adapter and 1 piece high-torque pistol grip ratchet screwdriver handle



|   |          |
|---|----------|
| ITEM NO.  | GAAI5401 |
| CONTENTS  | 12 (SET) |
| 13 BAEA0804-0814  |          |
| 1/4" Dr. 6PT Flank Sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm (25mmL)   |          |
| 4 FSBA0800-0803   |          |
| 1/4" Hex Shank Phillips Insert Bits PH0, PH1, PH2 x 2, PH3 (25mmL)                    |          |
| 4 FSCA0800-0803   |          |
| 1/4" Hex Shank Pozi Insert Bits PZ0, PZ1, PZ2, PZ3 (25mmL)                            |          |
| 3 FSAA0803-0808   |          |
| 1/4" Hex Shank Slotted Insert Bits 3, 4, 4.5, 5.5, 6.5, 8mm (25mmL)                   |          |
| 7 FSDA0802-0808   |          |
| 1/4" Hex Shank Hexagon Insert Bits 2, 2.5, 3, 4, 5, 6, 8mm (25mmL)                    |          |
| 7 FSEA0810-0840   |          |
| 1/4" Hex Shank Star Insert Bits T10, T15, T20, T25, T27, T30, T40 (25mmL)             |          |
| 7 FSGA0810-0840   |          |
| 1/4" Hex Shank Star Tamperproof Insert Bits T10, T15, T20, T25, T27, T30, T40 (25mmL) |          |
| 2 FSHA0801 & 0802   |          |
| 1/4" Hex Shank Square Insert Bits SQ1 & SQ2 (25mmL)                                   |          |
| 1 FSKA0808  |          |
| 1/4" x 1/4" Socket Adapter (25mmL)  |          |
| 1 FTDC0808  |          |
| 1/4" x 1/4" Magnetic Power Bit Holder (60mmL)   |          |
| 1 FTEG0820  |          |
| 1/4" (H) High-Torque Pistol Grip Ratchet Screwdriver Handle with Storage (200mmL)     |          |
| BLOW CASE: W240 x D172 x H50 (mm)   |          |

Reversible Ratchet Screwdriver

REVERSIBLE RATCHET  
SCREWDRIVER



Magnetic

Reversible


Reversible Ratchet Screwdriver

- High performance magnetic 1/4"(H) Bit Driver
- PP+TPR material non-slippery grip handle



| ITEM NO. | HEX (inch) | L1 (mm) | L (mm) | ⊕  | ⊖  |
|----------|------------|---------|--------|----|----|
| FTEA0806 | 1/4        | 55      | 185    | 10 | 60 |

High-Torque Ratchet Screwdriver Handle with Storage



19-In-1  
High Torque Ratchet Screwdriver Set



| ITEM NO.        | CONTENTS   |
|-----------------|--|
| GAAR1002        | 10 (SET)   |
| FTEA1421        | 7/16" (Hex) High-Torque Ratchet Screwdriver Handle with Storage                        |
| FTDA0810        | 1/4" x 5/16" (Hex) Drive Shaft - 115mm (L)   |
| FKAA0105 & 0206 | 1/4" Hex Shank Phillips & Slotted Screwdriver Bits<br>⊕ PH1x5mm & ⊖ PH2x6mm - 75mm (L) |
| FKAB0308        | 5/16" Hex Shank Phillips & Slotted Screwdriver Bits<br>⊕ PH3x8mm - 75mm (L)            |
| FKBA0102        | 1/4" Hex Shank Double End Pozidriv Screwdriver Bits<br>⊕ PZ1xPZ2 - 75mm (L)            |
| FKCA1520 & 2530 | 1/4" Hex Shank Double End Star Screwdriver Bits<br>⊕ T15xT20 & T25xT30 - 75mm (L)      |
| FKDA2E03 & 0405 | 1/4" Hex Shank Double End Hexagon Screwdriver Bits<br>⊕ 2.5mmx3mm & 4mmx5mm - 75mm (L) |

High-Torque Ratchet Screwdriver Handle with Storage

- High torque performance over 350 kgf-cm
- 25 gears, reversible 3-way ratchet mechanism: Forward / Lock / Reverse
- Strong corrosion resistant steel drive shaft
- Capable of storing up to 6 pieces double end screwdriver bits in hollow handle
- Comfortable, anti-slip PP+TPV plastic material heavy stress handle



| ITEM NO. | HEX (inch)      | L1 (mm) | L (mm) | ⊕ | ⊖  |
|----------|-----------------|---------|--------|---|----|
| FTEA1421 | 1/4, 5/16, 7/16 | 50      | 207    | 5 | 40 |

TOPTUL High Torque Ratchet Screwdriver Set

7-In-1  
High Torque Ratchet Screwdriver Set



High-Torque Ratchet Screwdriver Handle

- High torque performance over 350 kgf-cm
- 25 gears, reversible 3-way ratchet mechanism: Forward / Lock / Reverse
- Strong corrosion resistant steel drive shaft
- Comfortable, anti-slip PP+TPR plastic material heavy stress handle

| ITEM NO. | HEX (inch)      | L1 (mm) | L (mm) | ⊕ | ⊖  |
|----------|-----------------|---------|--------|---|----|
| FTEC1421 | 1/4, 5/16, 7/16 | 50      | 208    | 5 | 40 |

1/4" Hex Shank Double End Star  
Screwdriver Bits

| TYPE | ITEM NO. | SIZE    | L (mm) | ⊕  | ⊖   |
|------|----------|---------|--------|----|-----|
| ⊕    | FKCA1520 | T15xT20 | 75     | 25 | 450 |
| ⊖    | FKCA2530 | T25xT30 | 75     | 25 | 450 |

1/4" Hex Shank Double End  
Hexagon Screwdriver Bits

| TYPE | ITEM NO. | SIZE      | L (mm) | ⊕  | ⊖   |
|------|----------|-----------|--------|----|-----|
| ⊕    | FKDA2E03 | 2.5mmx3mm | 75     | 25 | 450 |
| ⊖    | FKDA0405 | 4mmx5mm   | 75     | 25 | 450 |

1/4" Hex Shank Double End Pozidriv  
Screwdriver Bits

| TYPE | ITEM NO. | SIZE    | L (mm) | ⊕  | ⊖   |
|------|----------|---------|--------|----|-----|
| ⊕    | FKBA0102 | PZ1xPZ2 | 75     | 25 | 450 |

1/4" Hex Shank Phillips & Slotted  
Screwdriver Bits

| TYPE | ITEM NO. | SIZE    | L (mm) | ⊕  | ⊖   |
|------|----------|---------|--------|----|-----|
| ⊕    | FKAA0105 | PH1x5mm | 75     | 25 | 450 |
| ⊖    | FKAA0206 | PH2x6mm | 75     | 25 | 450 |

5/16" Hex Shank Phillips & Slotted  
Screwdriver Bits

| TYPE | ITEM NO. | SIZE    | L (mm) | ⊕  | ⊖   |
|------|----------|---------|--------|----|-----|
| ⊕    | FKAB0206 | PH2x6mm | 75     | 25 | 450 |
| ⊖    | FKAB0308 | PH3x8mm | 75     | 25 | 450 |





Color Box

Color Box

**1/4" HEX**

// 1/4" Hex Shank Slotted Insert Bits



Zinc Phosphate Finished

| TYPE | ITEM NO. | SIZE (mm) | L (mm) | ⊕  | ⊖  |     |
|------|----------|-----------|--------|----|----|-----|
|      | FSAA0803 | 3         | 0.5    | 25 | 30 | 360 |
|      | FSAA0804 | 4         | 0.5    | 25 | 30 | 360 |
|      | FSAA084E | 4.5       | 0.6    | 25 | 30 | 360 |
|      | FSAA085E | 5.5       | 1.0    | 25 | 30 | 360 |
|      | FSAA086E | 6.5       | 1.2    | 25 | 30 | 360 |
|      | FSAA0808 | 8         | 1.2    | 25 | 30 | 360 |



// 1/4" Hex Shank Square Insert Bits



Zinc Phosphate Finished

| TYPE | ITEM NO. | SIZE | L (mm) | ⊕  | ⊖   |
|------|----------|------|--------|----|-----|
|      | FSHA0801 | SQ1  | 25     | 30 | 360 |
|      | FSHA0802 | SQ2  | 25     | 30 | 360 |

// 1/4" Hex Shank Phillips Insert Bits



Zinc Phosphate Finished

| TYPE | ITEM NO. | SIZE | L (mm) | ⊕  | ⊖   |
|------|----------|------|--------|----|-----|
|      | FSBA0800 | PH0  | 25     | 30 | 360 |
|      | FSBA0801 | PH1  | 25     | 30 | 360 |
|      | FSBA0802 | PH2  | 25     | 30 | 360 |
|      | FSBA0803 | PH3  | 25     | 30 | 360 |

// 1/4" Hex Shank Star Insert Bits



// 1/4" Hex Shank Pozi Insert Bits



Zinc Phosphate Finished

| TYPE | ITEM NO. | SIZE | L (mm) | ⊕  | ⊖   |
|------|----------|------|--------|----|-----|
|      | FSCA0800 | PZ0  | 25     | 30 | 360 |
|      | FSCA0801 | PZ1  | 25     | 30 | 360 |
|      | FSCA0802 | PZ2  | 25     | 30 | 360 |
|      | FSCA0803 | PZ3  | 25     | 30 | 360 |

Zinc Phosphate Finished

| TYPE | ITEM NO. | SIZE | L (mm) | ⊕  | ⊖   |
|------|----------|------|--------|----|-----|
|      | FSEA0806 | T6   | 25     | 30 | 360 |
|      | FSEA0807 | T7   | 25     | 30 | 360 |
|      | FSEA0808 | T8   | 25     | 30 | 360 |
|      | FSEA0809 | T9   | 25     | 30 | 360 |
|      | FSEA0810 | T10  | 25     | 30 | 360 |
|      | FSEA0815 | T15  | 25     | 30 | 360 |
|      | FSEA0820 | T20  | 25     | 30 | 360 |
|      | FSEA0825 | T25  | 25     | 30 | 360 |
|      | FSEA0827 | T27  | 25     | 30 | 360 |
|      | FSEA0830 | T30  | 25     | 30 | 360 |
|      | FSEA0840 | T40  | 25     | 30 | 360 |
|      | FSEA0845 | T45  | 25     | 30 | 360 |
|      | FSEA0850 | T50  | 25     | 30 | 360 |

// 1/4" Hex Shank Hexagon Insert Bits



Zinc Phosphate Finished

| TYPE | ITEM NO. | SIZE (mm) | L (mm) | ⊕  | ⊖   |
|------|----------|-----------|--------|----|-----|
|      | FSDA0802 | 2         | 25     | 30 | 360 |
|      | FSDA082E | 2.5       | 25     | 30 | 360 |
|      | FSDA0803 | 3         | 25     | 30 | 360 |
|      | FSDA0804 | 4         | 25     | 30 | 360 |
|      | FSDA0805 | 5         | 25     | 30 | 360 |
|      | FSDA0806 | 6         | 25     | 30 | 360 |
|      | FSDA0807 | 7         | 25     | 30 | 360 |
|      | FSDA0808 | 8         | 25     | 20 | 240 |
|      | FSDA0810 | 10        | 25     | 20 | 240 |
|      | FSDA0812 | 12        | 25     | 20 | 240 |

// 1/4" Hex Shank Star Tamperproof Insert Bits



Zinc Phosphate Finished

| TYPE | ITEM NO. | SIZE | L (mm) | ⊕  | ⊖   |
|------|----------|------|--------|----|-----|
|      | FSGA0810 | T10  | 25     | 30 | 360 |
|      | FSGA0815 | T15  | 25     | 30 | 360 |
|      | FSGA0820 | T20  | 25     | 30 | 360 |
|      | FSGA0825 | T25  | 25     | 30 | 360 |
|      | FSGA0827 | T27  | 25     | 30 | 360 |
|      | FSGA0830 | T30  | 25     | 30 | 360 |
|      | FSGA0840 | T40  | 25     | 30 | 360 |

**5/16" HEX**

// 5/16" Hex Shank Slotted Insert Bits



Zinc Phosphate Finished

| TYPE | ITEM NO. | SIZE (mm) | SIZE (mm) | L (mm) | ⊕  | ⊖   |
|------|----------|-----------|-----------|--------|----|-----|
|      | FSAA105E | 5.5       | 0.8       | 30     | 20 | 240 |
|      | FSAA1006 | 6         | 1.2       | 30     | 20 | 240 |
|      | FSAA106E | 6.5       | 1.2       | 30     | 20 | 240 |
|      | FSAA1008 | 8         | 1.2       | 30     | 20 | 240 |
|      | FSAA1010 | 10        | 1.6       | 30     | 20 | 240 |
|      | FSAA1012 | 12        | 1.8       | 30     | 20 | 240 |

// 5/16" Hex Shank Phillips Insert Bits



Zinc Phosphate Finished

| TYPE | ITEM NO. | SIZE | L (mm) | ⊕  | ⊖   |
|------|----------|------|--------|----|-----|
|      | FSBA1001 | PH1  | 30     | 30 | 360 |
|      | FSBA1002 | PH2  | 30     | 30 | 360 |
|      | FSBA1003 | PH3  | 30     | 30 | 360 |
|      | FSBA1004 | PH4  | 30     | 30 | 360 |

// 5/16" Hex Shank Pozi Insert Bits



Zinc Phosphate Finished

| TYPE | ITEM NO. | SIZE | L (mm) | ⊕  | ⊖   |
|------|----------|------|--------|----|-----|
|      | FSCA1001 | PZ1  | 30     | 30 | 360 |
|      | FSCA1002 | PZ2  | 30     | 30 | 360 |
|      | FSCA1003 | PZ3  | 30     | 30 | 360 |
|      | FSCA1004 | PZ4  | 30     | 30 | 360 |

// 5/16" Hex Shank Hexagon Insert Bits



Zinc Phosphate Finished

| TYPE | ITEM NO. | SIZE (mm) | L (mm) | ⊕  | ⊖   |
|------|----------|-----------|--------|----|-----|
|      | FSDA1003 | 3         | 30     | 30 | 360 |
|      | FSDA1004 | 4         | 30     | 30 | 360 |
|      | FSDA1005 | 5         | 30     | 30 | 360 |
|      | FSDA105E | 5.5       | 30     | 30 | 360 |
|      | FSDA1006 | 6         | 30     | 30 | 360 |
|      | FSDA106E | 6.5       | 30     | 30 | 360 |
|      | FSDA1007 | 7         | 30     | 30 | 360 |
|      | FSDA1008 | 8         | 30     | 30 | 360 |
|      | FSDA1010 | 10        | 30     | 20 | 240 |
|      | FSDA1012 | 12        | 30     | 20 | 240 |
|      | FSDA1014 | 14        | 30     | 20 | 240 |

\*Material: CR-V - FSDA1014

// 5/16" Hex Shank Spline Insert Bits



Zinc Phosphate Finished

| TYPE | ITEM NO. | SIZE | L (mm) | ⊕  | ⊖   |
|------|----------|------|--------|----|-----|
|      | FSFA1005 | M5   | 30     | 30 | 360 |
|      | FSFA1006 | M6   | 30     | 30 | 360 |
|      | FSFA1008 | M8   | 30     | 30 | 360 |
|      | FSFA1010 | M10  | 30     | 30 | 360 |

// 5/16" Hex Shank Star Insert Bits



Zinc Phosphate Finished

| TYPE | ITEM NO. | SIZE | L (mm) | ⊕  | ⊖   |
|------|----------|------|--------|----|-----|
|      | FSEA1010 | T10  | 30     | 30 | 360 |
|      | FSEA1015 | T15  | 30     | 30 | 360 |
|      | FSEA1020 | T20  | 30     | 30 | 360 |
|      | FSEA1025 | T25  | 30     | 30 | 360 |
|      | FSEA1027 | T27  | 30     | 30 | 360 |
|      | FSEA1030 | T30  | 30     | 30 | 360 |
|      | FSEA1035 | T35  | 30     | 30 | 360 |
|      | FSEA1040 | T40  | 30     | 30 | 360 |
|      | FSEA1045 | T45  | 30     | 30 | 360 |
|      | FSEA1050 | T50  | 30     | 30 | 360 |
|      | FSEA1055 | T55  | 30     | 20 | 240 |
|      | FSEA1060 | T60  | 30     | 20 | 240 |
|      | FSEA1070 | T70  | 30     | 20 | 240 |

\*Material: CR-V - FSEA1070

// 5/16" Hex Shank Star Tamperproof Insert Bits



Zinc Phosphate Finished

| TYPE | ITEM NO. | SIZE | L (mm) | ⊕  | ⊖   |
|------|----------|------|--------|----|-----|
|      | FSGA1027 | T27  | 30     | 30 | 360 |
|      | FSGA1030 | T30  | 30     | 30 | 360 |
|      | FSGA1035 | T35  | 30     | 30 | 360 |
|      | FSGA1040 | T40  | 30     | 30 | 360 |
|      | FSGA1045 | T45  | 30     | 30 | 360 |
|      | FSGA1050 | T50  | 30     | 30 | 360 |
|      | FSGA1055 | T55  | 30     | 20 | 240 |
|      | FSGA1060 | T60  | 30     | 20 | 240 |
|      | FSGA1070 | T70  | 30     | 20 | 240 |

\*Material: CR-V - FSGA1070

// 5/16" Hex Shank Phillips Insert Bits



Zinc Phosphate Finished

| TYPE | ITEM NO. | SIZE | L (mm) | ⊕  | ⊖   |
|------|----------|------|--------|----|-----|
|      | FSBF1002 | PH2  | 90     | 15 | 270 |
|      | FSBF1003 | PH3  | 90     | 15 | 270 |

**10mm HEX**



// 10mm Hex Shank Hexagon Insert Bits



Zinc Phosphate Finished

| TYPE | ITEM NO. | SIZE (mm) | L (mm) | ⊕  | ⊖   |
|------|----------|-----------|--------|----|-----|
|      | FSDA1204 | 4         | 30     | 30 | 360 |
|      | FSDA1205 | 5         | 30     | 30 | 360 |
|      | FSDA1206 | 6         | 30     | 30 | 360 |
|      | FSDA1207 | 7         | 30     | 30 | 360 |
|      | FSDA1208 | 8         | 30     | 30 | 360 |
|      | FSDA1210 | 10        | 30     | 20 | 240 |
|      | FSDA1212 | 12        | 30     | 20 | 240 |

// 10mm Hex Shank Star Insert Bits



Zinc Phosphate Finished

| TYPE | ITEM NO. | SIZE | L (mm) | ⊕  | ⊖   |
|------|----------|------|--------|----|-----|
|      | FSEA1220 | T20  | 30     | 30 | 360 |
|      | FSEA1225 | T25  | 30     | 30 | 360 |
|      | FSEA1227 | T27  | 30     | 30 | 360 |
|      | FSEA1230 | T30  | 30     | 30 | 360 |
|      | FSEA1240 | T40  | 30     | 30 | 360 |
|      | FSEA1245 | T45  | 30     | 30 | 360 |
|      | FSEA1247 | T47  | 30     | 30 | 360 |
|      | FSEA1250 | T50  | 30     | 30 | 360 |
|      | FSEA1255 | T55  | 30     | 20 | 240 |
|      | FSEA1260 | T60  | 30     | 20 | 240 |

// 10mm Hex Shank Spline Insert Bits



Zinc Phosphate Finished

| TYPE | ITEM NO. | SIZE | L (mm) | ⊕  | ⊖   |
|------|----------|------|--------|----|-----|
|      | FSFA1205 | M5   | 30     | 30 | 360 |
|      | FSFA1206 | M6   | 30     | 30 | 360 |
|      | FSFA1208 | M8   | 30     | 30 | 360 |
|      | FSFA1210 | M10  | 30     | 20 | 240 |
|      | FSFA1212 | M12  | 30     | 20 | 240 |

// 10mm Hex Shank Long Hexagon Insert Bits



Zinc Phosphate Finished

| TYPE | ITEM NO. | SIZE (mm) | L (mm) | ⊕  | ⊖   |
|------|----------|-----------|--------|----|-----|
|      | FSDB1204 | 4         | 75     | 15 | 270 |
|      | FSDB1205 | 5         | 75     | 15 | 270 |
|      | FSDB1206 | 6         | 75     | 15 | 270 |
|      | FSDB1207 | 7         | 75     | 15 | 270 |
|      | FSDB1208 | 8         | 75     | 15 | 270 |
|      | FSDB1210 | 10        | 75     | 15 | 270 |
|      | FSDB1212 | 12        | 75     | 10 | 180 |

// 10mm Hex Shank Long Star Insert Bits



Zinc Phosphate Finished

| TYPE | ITEM NO. |
|------|----------|
|------|----------|

**1/4" HEX**

// 1/4" Hex Shank Slotted Insert Bits



| Zinc Phosphate Finished |           |           |        |    |    |
|-------------------------|-----------|-----------|--------|----|----|
| TYPE                    | ITEM NO.  | SIZE (mm) | L (mm) | ⊕  | ⊖  |
|                         | FSAA0803G | 3         | 0.5 25 | 15 | 90 |
|                         | FSAA0804G | 4         | 0.5 25 | 15 | 90 |
| ⊕                       | FSAA084EG | 4.5       | 0.6 25 | 15 | 90 |
|                         | FSAA085EG | 5.5       | 1.0 25 | 15 | 90 |
|                         | FSAA086EG | 6.5       | 1.2 25 | 15 | 90 |

// 1/4" Hex Shank Phillips Insert Bits



| Zinc Phosphate Finished |           |      |        |    |    |
|-------------------------|-----------|------|--------|----|----|
| TYPE                    | ITEM NO.  | SIZE | L (mm) | ⊕  | ⊖  |
|                         | FSBA0800G | PH0  | 25     | 15 | 90 |
| ⊕                       | FSBA0801G | PH1  | 25     | 15 | 90 |
|                         | FSBA0802G | PH2  | 25     | 15 | 90 |
|                         | FSBA0803G | PH3  | 25     | 15 | 90 |

// 1/4" Hex Shank Pozi Insert Bits



| Zinc Phosphate Finished |           |      |        |    |    |
|-------------------------|-----------|------|--------|----|----|
| TYPE                    | ITEM NO.  | SIZE | L (mm) | ⊕  | ⊖  |
|                         | FSCA0800G | PZ0  | 25     | 15 | 90 |
| ⊕                       | FSCA0801G | PZ1  | 25     | 15 | 90 |
|                         | FSCA0802G | PZ2  | 25     | 15 | 90 |
|                         | FSCA0803G | PZ3  | 25     | 15 | 90 |

Blister (10PCS)

// 1/4" Hex Shank Hexagon Insert Bits



| Zinc Phosphate Finished |           |           |        |    |    |
|-------------------------|-----------|-----------|--------|----|----|
| TYPE                    | ITEM NO.  | SIZE (mm) | L (mm) | ⊕  | ⊖  |
|                         | FSDA0802G | 2         | 25     | 15 | 90 |
|                         | FSDA082EG | 2.5       | 25     | 15 | 90 |
|                         | FSDA0803G | 3         | 25     | 15 | 90 |
|                         | FSDA0804G | 4         | 25     | 15 | 90 |
|                         | FSDA0805G | 5         | 25     | 15 | 90 |
|                         | FSDA0806G | 6         | 25     | 15 | 90 |
|                         | FSDA0808G | 8         | 25     | 12 | 72 |

// 1/4" Hex Shank Star Insert Bits



| Zinc Phosphate Finished |           |      |        |    |    |
|-------------------------|-----------|------|--------|----|----|
| TYPE                    | ITEM NO.  | SIZE | L (mm) | ⊕  | ⊖  |
|                         | FSEA0806G | T6   | 25     | 15 | 90 |
|                         | FSEA0807G | T7   | 25     | 15 | 90 |
|                         | FSEA0808G | T8   | 25     | 15 | 90 |
|                         | FSEA0809G | T9   | 25     | 15 | 90 |
|                         | FSEA0810G | T10  | 25     | 15 | 90 |
| ⊕                       | FSEA0815G | T15  | 25     | 15 | 90 |
|                         | FSEA0820G | T20  | 25     | 15 | 90 |
|                         | FSEA0825G | T25  | 25     | 15 | 90 |
|                         | FSEA0827G | T27  | 25     | 15 | 90 |
|                         | FSEA0830G | T30  | 25     | 15 | 90 |
|                         | FSEA0840G | T40  | 25     | 15 | 90 |

// 1/4" Hex Shank Star Tamperproof Insert Bits



| Zinc Phosphate Finished |           |      |        |    |    |
|-------------------------|-----------|------|--------|----|----|
| TYPE                    | ITEM NO.  | SIZE | L (mm) | ⊕  | ⊖  |
|                         | FSGA0810G | T10  | 25     | 15 | 90 |
|                         | FSGA0815G | T15  | 25     | 15 | 90 |
|                         | FSGA0820G | T20  | 25     | 15 | 90 |
| ⊕                       | FSGA0825G | T25  | 25     | 15 | 90 |
|                         | FSGA0827G | T27  | 25     | 15 | 90 |
|                         | FSGA0830G | T30  | 25     | 15 | 90 |
|                         | FSGA0840G | T40  | 25     | 15 | 90 |

**5/16" HEX**

// 5/16" Hex Shank Slotted Insert Bits \*



| Zinc Phosphate Finished |           |           |        |    |    |
|-------------------------|-----------|-----------|--------|----|----|
| TYPE                    | ITEM NO.  | SIZE (mm) | L (mm) | ⊕  | ⊖  |
|                         | FSAA105EG | 5.5       | 0.8 30 | 12 | 72 |
| ⊖                       | FSAA106EG | 6.5       | 1.2 30 | 12 | 72 |
|                         | FSAA1008G | 8         | 1.2 30 | 12 | 72 |

// 5/16" Hex Shank Phillips Insert Bits



| Zinc Phosphate Finished |           |      |        |    |    |
|-------------------------|-----------|------|--------|----|----|
| TYPE                    | ITEM NO.  | SIZE | L (mm) | ⊕  | ⊖  |
|                         | FSBA1001G | PH1  | 30     | 12 | 72 |
| ⊕                       | FSBA1002G | PH2  | 30     | 12 | 72 |
|                         | FSBA1003G | PH3  | 30     | 12 | 72 |
|                         | FSBA1004G | PH4  | 30     | 12 | 72 |

// 5/16" Hex Shank Star Insert Bits  
\* FSEA1070G, Blister (9PCS/SET)



| Zinc Phosphate Finished |           |      |        |    |    |
|-------------------------|-----------|------|--------|----|----|
| TYPE                    | ITEM NO.  | SIZE | L (mm) | ⊕  | ⊖  |
|                         | FSEA1010G | T10  | 30     | 12 | 72 |
|                         | FSEA1015G | T15  | 30     | 12 | 72 |
|                         | FSEA1020G | T20  | 30     | 12 | 72 |
|                         | FSEA1025G | T25  | 30     | 12 | 72 |
|                         | FSEA1027G | T27  | 30     | 12 | 72 |
| ⊕                       | FSEA1030G | T30  | 30     | 12 | 72 |
|                         | FSEA1040G | T40  | 30     | 12 | 72 |
|                         | FSEA1045G | T45  | 30     | 12 | 72 |
|                         | FSEA1050G | T50  | 30     | 12 | 72 |
|                         | FSEA1055G | T55  | 30     | 12 | 72 |
|                         | FSEA1060G | T60  | 30     | 10 | 60 |
|                         | FSEA1070G | T70  | 30     | 10 | 60 |

※NOTE: FSEA1070G, Blister (9PCS/SET)

// 5/16" Hex Shank Pozi Insert Bits \*



| Zinc Phosphate Finished |           |      |        |    |    |
|-------------------------|-----------|------|--------|----|----|
| TYPE                    | ITEM NO.  | SIZE | L (mm) | ⊕  | ⊖  |
|                         | FSCA1001G | PZ1  | 30     | 12 | 72 |
| ⊕                       | FSCA1002G | PZ2  | 30     | 12 | 72 |
|                         | FSCA1003G | PZ3  | 30     | 12 | 72 |
|                         | FSCA1004G | PZ4  | 30     | 12 | 72 |

// 5/16" Hex Shank Hexagon Insert Bits



| Zinc Phosphate Finished |           |           |        |    |    |
|-------------------------|-----------|-----------|--------|----|----|
| TYPE                    | ITEM NO.  | SIZE (mm) | L (mm) | ⊕  | ⊖  |
|                         | FSDA1003G | 3         | 30     | 12 | 72 |
|                         | FSDA1004G | 4         | 30     | 12 | 72 |
|                         | FSDA1005G | 5         | 30     | 12 | 72 |
| ⊕                       | FSDA1006G | 6         | 30     | 12 | 72 |
|                         | FSDA1007G | 7         | 30     | 12 | 72 |
|                         | FSDA1008G | 8         | 30     | 12 | 72 |
|                         | FSDA1010G | 10        | 30     | 12 | 72 |
|                         | FSDA1012G | 12        | 30     | 10 | 60 |

// 5/16" Hex Shank Star Tamperproof Insert Bits  
\* FSGA1070G, Blister (9PCS/SET)



| Zinc Phosphate Finished |           |      |        |    |    |
|-------------------------|-----------|------|--------|----|----|
| TYPE                    | ITEM NO.  | SIZE | L (mm) | ⊕  | ⊖  |
|                         | FSGA1040G | T40  | 30     | 12 | 72 |
|                         | FSGA1045G | T45  | 30     | 12 | 72 |
| ⊕                       | FSGA1050G | T50  | 30     | 12 | 72 |
|                         | FSGA1055G | T55  | 30     | 12 | 72 |
|                         | FSGA1060G | T60  | 30     | 10 | 60 |
|                         | FSGA1070G | T70  | 30     | 10 | 60 |

※NOTE: FSGA1070G, Blister (9PCS/SET)

Blister (10PCS)

**10mm HEX**

// 10mm Hex Shank Hexagon Insert Bits



| Zinc Phosphate Finished |           |           |        |    |    |
|-------------------------|-----------|-----------|--------|----|----|
| TYPE                    | ITEM NO.  | SIZE (mm) | L (mm) | ⊕  | ⊖  |
|                         | FSDA1204G | 4         | 30     | 12 | 72 |
|                         | FSDA1205G | 5         | 30     | 12 | 72 |
|                         | FSDA1206G | 6         | 30     | 12 | 72 |
| ⊕                       | FSDA1207G | 7         | 30     | 12 | 72 |
|                         | FSDA1208G | 8         | 30     | 12 | 72 |
|                         | FSDA1210G | 10        | 30     | 12 | 72 |
|                         | FSDA1212G | 12        | 30     | 10 | 60 |

// 10mm Hex Shank Star Insert Bits



| Zinc Phosphate Finished |           |      |        |    |    |
|-------------------------|-----------|------|--------|----|----|
| TYPE                    | ITEM NO.  | SIZE | L (mm) | ⊕  | ⊖  |
|                         | FSEA1220G | T20  | 30     | 12 | 72 |
|                         | FSEA1225G | T25  | 30     | 12 | 72 |
|                         | FSEA1227G | T27  | 30     | 12 | 72 |
|                         | FSEA1230G | T30  | 30     | 12 | 72 |
| ⊕                       | FSEA1240G | T40  | 30     | 12 | 72 |
|                         | FSEA1245G | T45  | 30     | 12 | 72 |
|                         | FSEA1247G | T47  | 30     | 12 | 72 |
|                         | FSEA1250G | T50  | 30     | 12 | 72 |
|                         | FSEA1255G | T55  | 30     | 12 | 72 |
|                         | FSEA1260G | T60  | 30     | 10 | 60 |

// 10mm Hex Shank Spline Insert Bits



| Zinc Phosphate Finished |           |      |        |    |    |
|-------------------------|-----------|------|--------|----|----|
| TYPE                    | ITEM NO.  | SIZE | L (mm) | ⊕  | ⊖  |
|                         | FSFA1205G | M5   | 30     | 12 | 72 |
|                         | FSFA1206G | M6   | 30     | 12 | 72 |
| ⊕                       | FSFA1208G | M8   | 30     | 12 | 72 |
|                         | FSFA1210G | M10  | 30     | 12 | 72 |
|                         | FSFA1212G | M12  | 30     | 10 | 60 |

// 10mm Hex Shank Long Hexagon Insert Bits



| Zinc Phosphate Finished |           |           |        |    |    |
|-------------------------|-----------|-----------|--------|----|----|
| TYPE                    | ITEM NO.  | SIZE (mm) | L (mm) | ⊕  | ⊖  |
|                         | FSDB1204G | 4         | 75     | 10 | 40 |
|                         | FSDB1205G | 5         | 75     | 10 | 40 |
|                         | FSDB1206G | 6         | 75     | 10 | 40 |
| ⊕                       | FSDB1207G | 7         | 75     | 10 | 40 |
|                         | FSDB1208G | 8         | 75     | 10 | 40 |
|                         | FSDB1210G | 10        | 75     | 10 | 40 |
|                         | FSDB1212G | 12        | 75     | 10 | 40 |

// 10mm Hex Shank Long Star Insert Bits



| Zinc Phosphate Finished |           |      |        |    |    |
|-------------------------|-----------|------|--------|----|----|
| TYPE                    | ITEM NO.  | SIZE | L (mm) | ⊕  | ⊖  |
|                         | FSEB1220G | T20  | 75     | 10 | 40 |
|                         | FSEB1225G | T25  | 75     | 10 | 40 |
|                         | FSEB1227G | T27  | 75     | 10 | 40 |
| ⊕                       | FSEB1230G | T30  | 75     | 10 | 40 |
|                         | FSEB1240G | T40  | 75     | 10 | 40 |
|                         | FSEB1245G | T45  | 75     | 10 | 40 |
|                         | FSEB1250G | T50  | 75     | 10 | 40 |
|                         | FSEB1255G | T55  | 75     | 10 | 40 |

// 10mm Hex Shank Long Spline Insert Bits



| Zinc Phosphate Finished |           |      |        |    |    |
|-------------------------|-----------|------|--------|----|----|
| TYPE                    | ITEM NO.  | SIZE | L (mm) | ⊕  | ⊖  |
|                         | FSFB1205G | M5   | 75     | 10 | 40 |
|                         | FSFB1206G | M6   | 75     | 10 | 40 |
| ⊕                       | FSFB1208G | M8   | 75     | 10 | 40 |
|                         | FSFB1210G | M10  | 75     | 10 | 40 |
|                         | FSFB1212G | M12  | 75     | 10 | 40 |



**Quick Change Bit Holders**



| ITEM NO. | DRIVE (inch) | Hex Shank | L (mm) | W  | H   |
|----------|--------------|-----------|--------|----|-----|
| FTAB0808 | 1/4          | 1/4"      | 25     | 30 | 360 |
| FTAB1208 | 3/8          | 1/4"      | 29     | 10 | 120 |
| FTAB1210 | 3/8          | 5/16"     | 29     | 10 | 120 |
| FTAB1212 | 3/8          | 10mm      | 29     | 10 | 120 |
| FTAB1610 | 1/2          | 5/16"     | 38     | 10 | 120 |
| FTAB1612 | 1/2          | 10mm      | 38     | 10 | 120 |

**7PCS**  
Screwdriver Bit Set  
1/2"



**GAAT0709** 7PCS  
Satin Chrome Finished  
50 (SET)  
3 FSBA1001-1003  
5/16" x PH1, PH2, PH3  
3 FSAA105E-1008  
5/16" x 0.8x5.5, 1.2x6.5, 1.2x8 mm  
1 FTAB1610  
1/2" Dr. x 5/16"(H) Quick Change Bit Holders

**7PCS**  
Screwdriver Bit Set  
1/2"



**GAAT0707** 7PCS  
Satin Chrome Finished  
50 (SET)  
3 FSDA1204-1212  
10mm x 4, 5, 6, 8, 10, 12 mm  
1 FTAB1612  
1/2" Dr. x 10mm(H) Quick Change Bit Holders

**7PCS**  
Screwdriver Bit Set  
1/2"



**GAAT0705** 7PCS  
Satin Chrome Finished  
50 (SET)  
3 FSEA1225-1255  
10mm x T25, T30, T40, T45, T50, T55  
1 FTAB1612  
1/2" Dr. x 10mm(H) Quick Change Bit Holders

**1/4" Hex Magnetic Bit Holder**

- Made of Chrome Vanadium Steel
- Magnetic shaft holds fastener securely
- Rugged single-piece construction provides long service life under constant use
- Use with TOPTUL CHEV0811



Magnetic



| ITEM NO. | SIZE        | L (mm) | W  | H   |
|----------|-------------|--------|----|-----|
| FTDF0810 | 1/4" x 1/4" | 100    | 15 | 270 |

**31PCS**  
Screwdriver Bit Set



**GAAW3101** 31PCS  
10 (SET)  
3 PH0, PH1x2pcs, PH2x2pcs, PH3  
3 PZ0, PZ1x2pcs, PZ2x2pcs, PZ3  
3 0.5x4, 1.0x5.5, 1.2x6.5 mm  
4 3, 4, 5, 6 mm  
11 T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40  
1 1/4" x 1/4" Magnetic Power Bit Holder  
PLASTIC BOX: W105 x D64 x H43 (mm)

**7PCS**  
1/4" (H) Hex Screwdriver Bit Set



**GAAV0701** 7PCS  
30 (SET)  
3 FSDA0802-0808  
2, 2.5, 3, 4, 5, 6, 8 mm

**7PCS**  
1/4" (H) Star Screwdriver Bit Set



**GAAV0702** 7PCS  
30 (SET)  
3 FSEA0810-0840  
T10, T15, T20, T25, T27, T30, T40

**7PCS**  
1/4" (H) Star Tamperproof Screwdriver Bit Set



**GAAV0703** 7PCS  
30 (SET)  
3 FSGA0810-0840  
T10, T15, T20, T25, T27, T30, T40

**7PCS**  
1/4" (H) Screwdriver Bit Set



**GAAV0704** 7PCS  
30 (SET)  
3 FSAA0804-086E  
0.5x4, 1.0x5.5, 1.2x6.5 mm  
2 FSBA0801 & 0802  
PH1 & PH2  
2 FSCA0801 & 0802  
PZ1 & PZ2

**10PCS**  
1/4" (H) Screwdriver Bit Set



**GAAV1001** 10PCS  
30 (SET)  
3 FSAA084E-086E  
0.6x4.5, 1.0x5.5, 1.2x6.5 mm  
2 FSBA0801 & 0802  
SQ1 & SQ2  
3 FSEA0815-0825  
T15, T20, T25  
2 FSBA0801 & 0802  
PH1 & PH2

**11PCS**  
1/4" (H) Screwdriver Bit Set



**GAAV1102** 11PCS  
30 (SET)  
3 FSAA0804-086E  
0.5x4, 1.0x5.5, 1.2x6.5 mm  
2 FSBA0801 & 0802  
PH1 & PH2  
2 FSCA0801 & 0802  
PZ1 & PZ2  
4 FSDA0803-0806  
3, 4, 5, 6 mm

**11PCS**  
1/4" (H) Screwdriver Bit Set



**GAAV1101** 11PCS  
30 (SET)  
10 FSGA0808-0840  
T8, T10x2pcs, T15x2pcs, T20x2pcs, T25x2pcs, T40  
1 FSHA0801  
SQ1

**11PCS**  
1/4" (H) Screwdriver Bit Set



**GAAV1103** 11PCS  
30 (SET)  
3 FSXA0806-0810  
6, 8, 10 mm  
3 FSYA0801-0803  
1, 2, 3 mm  
3 FSEA0808-0825  
T8, T10, T15, T20, T25

**11PCS**  
1/4" (H) Screwdriver Bit Set



**GAAV1104** 11PCS  
30 (SET)  
3 FSPA0804-0808  
4, 6, 8 mm  
4 FSNA0803-0806  
3, 4, 5, 6 mm  
3 FSFA0805-0808  
M5, M6, M8  
1 FSHA0802  
SQ2



SCREWDRIVER BIT SET



**11PCS**  
1/2" DR. Hex Shank Spline Insert Bit Set  
1/2"

| ITEM NO.                           | CONTENTS  | 10 (SET) |
|------------------------------------|---|----------|
| GAAD1102                           | <ul style="list-style-type: none"> <li>FSFA1205-1212 10mm Hex Shank Spline Insert Bits M5, M6, M8, M10, M12</li> <li>FSFB1205-1212 10mm Long Hex Shank Spline Insert Bits M5, M6, M8, M10, M12</li> <li>FTAB1612 1/2" Dr. x 10mm(H) Quick Change Bit Holders</li> </ul> |          |
| METAL CASE: W197 x D103 x H33 (mm) |   |          |

**8PCS**  
1/4" Hex Drive Hexagon Bit Set  
1/4"



| ITEM NO. | CONTENTS  | 10 (SET) |
|----------|---|----------|
| GAAL0803 | <ul style="list-style-type: none"> <li>2, 3, 4, 5, 6, 7, 8 mm</li> <li>1/4" Hex Drive Offset Bit Holder Wrench</li> </ul> |          |

**8PCS**  
1/4" Hex Drive Star Tamperproof Bit Set  
1/4"



| ITEM NO. | CONTENTS   | 10 (SET) |
|----------|--|----------|
| GAAL0801 | <ul style="list-style-type: none"> <li>T10, T15, T20, T25, T27, T30, T40</li> <li>1/4" Hex Drive Offset Bit Holder Wrench</li> </ul> |          |

**8PCS**  
1/4" Hex Drive Bit Set  
1/4"



| ITEM NO. | CONTENTS  | 10 (SET) |
|----------|---|----------|
| GAAL0802 | <ul style="list-style-type: none"> <li>PH1, PH2, PH3</li> <li>0.5x4, 1.2x7 mm</li> <li>PZ1, PZ2</li> <li>1/4" Hex Drive Offset Bit Holder Wrench</li> </ul> |          |

**15PCS**  
1/2" DR. Hex Shank Hexagon Insert Bit Set  
1/2"

| ITEM NO.                           | CONTENTS  | 10 (SET) |
|------------------------------------|---|----------|
| GAAD1508                           | <ul style="list-style-type: none"> <li>FSDA1204-1212 10mm Hex Shank Hexagon Insert Bits 4, 5, 6, 7, 8, 10, 12 mm</li> <li>FSDB1204-1212 10mm Long Hex Shank Hexagon Insert Bits 4, 5, 6, 7, 8, 10, 12 mm</li> <li>FTAB1612 1/2" Dr. x 10mm(H) Quick Change Bit Holders</li> </ul> |          |
| METAL CASE: W197 x D103 x H33 (mm) |   |          |

**15PCS**  
1/2" DR. Hex Shank Star Insert Bit Set  
1/2"

| ITEM NO.                           | CONTENTS  | 10 (SET) |
|------------------------------------|---|----------|
| GAAD1506                           | <ul style="list-style-type: none"> <li>FSEA1220-1255 10mm Hex Shank Star Insert Bits T20, T25, T30, T40, T45, T50, T55</li> <li>FSEB1220-1255 10mm Long Hex Shank Star Insert Bits T20, T25, T30, T40, T45, T50, T55</li> <li>FTAB1612 1/2" Dr. x 10mm(H) Quick Change Bit Holders</li> </ul> |          |
| METAL CASE: W197 x D103 x H33 (mm) |   |          |

**40PCS**  
3/8" & 1/2" DR. Bit Set  
3/8"  
1/2"



| ITEM NO.                           | CONTENTS   | 6 (SET) |
|------------------------------------|--|---------|
| GAAD4002                           | <ul style="list-style-type: none"> <li>FSFA1205-1212 10mm Hex Shank Spline Insert Bits M5, M6, M8, M10, M12</li> <li>FSFB1205-1212 10mm Long Hex Shank Spline Insert Bits M5, M6, M8, M10, M12</li> <li>FSDA1204-1212 10mm Hex Shank Hexagon Insert Bits 4, 5, 6, 7, 8, 10, 12 mm</li> <li>FSDB1204-1212 10mm Long Hex Shank Hexagon Insert Bits 4, 5, 6, 7, 8, 10, 12 mm</li> <li>FSEA1220-1255 10mm Hex Shank Star Insert Bits T20, T25, T30, T40, T45, T50, T55</li> <li>FSEB1220-1255 10mm Long Hex Shank Star Insert Bits T20, T25, T30, T40, T45, T50, T55</li> <li>FTAB1212 3/8" Dr. x 10mm(H) Quick Change Bit Holder</li> <li>FTAB1612 1/2" Dr. x 10mm(H) Quick Change Bit Holders</li> </ul> |         |
| METAL CASE: W370 x D154 x H50 (mm) |  |         |




**Universal Swivel Magnetic Quick Release Bit Holder**  
• Locking, magnetic, quick release bit holder  
• Retract collar to quickly install and remove bits



| ITEM NO. | SIZE        | L (mm) | 10 | 100 |
|----------|-------------|--------|----|-----|
| FTGA0808 | 1/4" x 1/4" | 78     | 10 | 100 |

**1/4" Hex Shank Universal Swivel Magnetic Power Nut Setter**  
• Strong magnetic 6-point socket  
• Knurled finger grip on sleeve for increased control and comfort  
• Swivel ball end shaft enables to use in restricted spaces  
• 1/4" hex fitting for power tools or hand drivers  
• Black phosphate finished  
• Material: Shaft Body & Socket (Chrome Vanadium Alloy Steel)  
Anodized Color Sleeve (Free Cutting Steel)



| TYPE | ITEM NO. | SIZE (mm) | L (mm) | 10 | 100 |
|------|----------|-----------|--------|----|-----|
| O    | BEBA0806 | 6         | 87     | 25 | 100 |
|      | BEBA0808 | 8         | 87     | 25 | 100 |
|      | BEBA0810 | 10        | 87     | 25 | 100 |
|      | BEBA0812 | 12        | 87     | 25 | 100 |

**Quick Change Magnetic Bit Holder**  
• Quick change function and locking mechanism  
• Retract collar to install or remove bits  
• Anodized aluminum color sleeve



**90° Angled Driver Drill Tool**  
• 90° angled driver allows access to tight corners  
• 360° rotating position handle for optimum control  
• Die cast zinc alloy head with ball bearing guides for stability  
• Heat treated steel precision gears for maximum torque  
• Quick change chuck to ensure tool is held securely  
• Use with bit holders, screwdriver bits, hex drills and drill/countersinks



| ITEM NO. | SIZE        | L (mm) | 10 | 100 |
|----------|-------------|--------|----|-----|
| FTGB0807 | 1/4" x 1/4" | 70     | 10 | 100 |



This 90° Angled screwdriver head converts any power drill into an offset, quick-change screwdriver. Allows a power drill in places that would be impossible to reach with a straight driver. Can also be used with TOPTUL Item No. FTGA0808 (Universal Swivel Magnetic Quick Release Bit Holder) to increase the working angle.

| ITEM NO. | SIZE        | L1 (mm) | L (mm) | 10 | 50 |
|----------|-------------|---------|--------|----|----|
| FTGC0808 | 1/4" x 1/4" | 47      | 83     | 10 | 50 |

**Extended Flexible Extension with Magnetic Quick Release Bit Holder**  
• Made of Aluminum Alloy Steel  
• Locking, magnetic, quick release bit holder  
• Super strong magnet than standard bit holder  
• Compress silver ring to quickly insert and remove bit



| ITEM NO. | SIZE        | L (mm) | 10 | 36 |
|----------|-------------|--------|----|----|
| FTDE0833 | 1/4" x 1/4" | 320    | 6  | 36 |

**8 SETS**  
1/4" Hex Drive Screwdriver Bit Set W/Display Box



- ITEM NO.** GACW3501S **4 (SET)**
- CONTENTS**  
**GACW3501**  
 35PCS 1/4" Hex Drive Screwdriver Bit Set
- Per Set Contents:**  
**FTGA0808**  
 ● 1/4" x 1/4" Universal Swivel Magnetic Quick Release Bit Holder  
**FSBA0801-0803**  
 ● 1/4" Hex Shank Phillips Insert Bits PH1x2pcs, PH2x3pcs, PH3  
**FSCA0801-0803**  
 ● 1/4" Hex Shank Pozzi Insert Bits PZ1x2pcs, PZ2x3pcs, PZ3  
**FSAA0803-086E**  
 ● 1/4" Hex Shank Slotted Insert Bits 3, 4.5, 5.5, 6.5 mm  
**FSDA0803-0806**  
 ● 1/4" Hex Shank Hexagon Insert Bits 3, 4, 5, 6 mm  
**FSEA0810-0840**  
 ● 1/4" Hex Shank Star Insert Bits T10, T15x2pcs, T20x2pcs, T25x2pcs, T27, T30x2pcs, T40x2pcs  
**FSGA0820 & 0830**  
 ● 1/4" Hex Shank Star Tamperproof Insert Bits T20 & T30

PLASTIC BOX: W115 x D77 x H43 (mm)



**W/DISPLAY BOX**  
**8 SET**

- Protective PC+TPR plastic box
- ABS inner tool tray
- Plastic box with belt clip & hanger
- 8 sets packed in each display color box

**8 SETS**  
1/4" Hex Drive Screwdriver Bit Set W/Display Box



- ITEM NO.** GACW3502S **4 (SET)**
- CONTENTS**  
**GACW3502**  
 35PCS 1/4" Hex Drive Screwdriver Bit Set
- Per Set Contents:**  
**FTGB0807**  
 ● 1/4" x 1/4" Quick Change Magnetic Bit Holder  
**FSBA0801-0803**  
 ● 1/4" Hex Shank Phillips Insert Bits PH1x2pcs, PH2x3pcs, PH3  
**FSCA0801-0803**  
 ● 1/4" Hex Shank Pozzi Insert Bits PZ1x2pcs, PZ2x3pcs, PZ3  
**FSAA0803-086E**  
 ● 1/4" Hex Shank Slotted Insert Bits 3, 4.5, 5.5, 6.5 mm  
**FSDA0803-0806**  
 ● 1/4" Hex Shank Hexagon Insert Bits 3, 4, 5, 6 mm  
**FSEA0810-0840**  
 ● 1/4" Hex Shank Star Insert Bits T10, T15x2pcs, T20x2pcs, T25x2pcs, T27, T30x2pcs, T40x2pcs  
**FSGA0820 & 0830**  
 ● 1/4" Hex Shank Star Tamperproof Insert Bits T20 & T30

PLASTIC BOX: W115 x D77 x H43 (mm)



**TOPTUL**  
1/4" Hex Drive Screwdriver Bit Set  
W/Display Box

**8 SETS**  
1/4" Hex Drive Mini Ratchet Bit Set  
W/Display Box



- ITEM NO.** GACW3503S **4 (SET)**
- CONTENTS**  
**GACW3503**  
 35PCS 1/4" Hex Drive Mini Ratchet Bit Set
- Per Set Contents:**  
**CHDV0801**  
 1/4" (H) 60 Teeth Mini Reversible Bit Ratchet Handle  
**FSBA0800-0803**  
 ● 1/4" Hex Shank Phillips Insert Bits PH0, PH1, PH2, PH3  
**FSCA0800-0803**  
 ● 1/4" Hex Shank Pozzi Insert Bits PZ0, PZ1, PZ2, PZ3  
**FSHA0801 & 0802**  
 ● 1/4" Hex Shank Square Insert Bits SQ1 & SQ2  
**FSAA0803-086E**  
 ● 1/4" Hex Shank Slotted Insert Bits 3, 4, 5.5, 6.5 mm  
**FSDA0802-0806**  
 ● 1/4" Hex Shank Hexagon Insert Bits 2, 2.5, 3, 4, 5, 6 mm  
**FSEA0810-0840**  
 ● 1/4" Hex Shank Star Insert Bits T10, T15, T20, T25, T27, T30, T40  
**FSGA0810-0840**  
 ● 1/4" Hex Shank Star Tamperproof Insert Bits T10, T15, T20, T25, T27, T30, T40

PLASTIC BOX: W115 x D77 x H43 (mm)

**8 SETS**  
1/4" Hex Drive Mini Ratchet Bit Set  
W/Display Box



- ITEM NO.** GACW3504S **4 (SET)**
- CONTENTS**  
**GACW3504**  
 35PCS 1/4" Hex Drive Mini Ratchet Bit Set
- Per Set Contents:**  
**CHDV0801**  
 1/4" (H) 60 Teeth Mini Reversible Bit Ratchet Handle  
**FSKA0808**  
 1/4" (H) x 1/4" Dr. Socket Adapter  
**FSBA0800-0803**  
 ● 1/4" Hex Shank Phillips Insert Bits PH0, PH1, PH2x2pcs, PH3  
**FSCA0800-0803**  
 ● 1/4" Hex Shank Pozzi Insert Bits PZ0, PZ1, PZ2x2pcs, PZ3  
**FSAA0803-0808**  
 ● 1/4" Hex Shank Slotted Insert Bits 3, 4, 5.5, 6.5, 8 mm  
**FSDA0802-0808**  
 ● 1/4" Hex Shank Hexagon Insert Bits 2, 2.5, 3, 4, 5, 6, 8 mm  
**FSEA0806-0809**  
 ● 1/4" Hex Shank Star Insert Bits T6, T7, T8, T9  
**FSGA0810-0840**  
 ● 1/4" Hex Shank Star Tamperproof Insert Bits T10, T15, T20, T25, T27, T30, T40

PLASTIC BOX: W115 x D77 x H43 (mm)

**8 SETS**  
1/4" Hex Drive Screwdriver Bit Set  
W/Display Box



- ITEM NO.** GACW3505S **4 (SET)**
- CONTENTS**  
**GACW3505**  
 35PCS 1/4" Hex Drive Screwdriver Bit Set
- Per Set Contents:**  
**FTGB0807**  
 ● 1/4" x 1/4" Quick Change Magnetic Bit Holder  
**FSBA0800-0803**  
 ● 1/4" Hex Shank Phillips Insert Bits PH0, PH1, PH2, PH3  
**FSCA0800-0803**  
 ● 1/4" Hex Shank Pozzi Insert Bits PZ0, PZ1, PZ2, PZ3  
**FSHA0801 & 0802**  
 ● 1/4" Hex Shank Square Insert Bits SQ1 & SQ2  
**FSAA0803-086E**  
 ● 1/4" Hex Shank Slotted Insert Bits 3, 4, 5.5, 6.5 mm  
**FSDA0802-0806**  
 ● 1/4" Hex Shank Hexagon Insert Bits 2, 2.5, 3, 4, 5, 6 mm  
**FSEA0810-0840**  
 ● 1/4" Hex Shank Star Insert Bits T10, T15, T20, T25, T27, T30, T40  
**FSGA0810-0840**  
 ● 1/4" Hex Shank Star Tamperproof Insert Bits T10, T15, T20, T25, T27, T30, T40

PLASTIC BOX: W115 x D77 x H43 (mm)

**31PCS**

Screwdriver Bit Set



|   |          |
|---|----------|
| ITEM NO.  | GABW3102 |
| CONTENTS  | 30 (SET) |
| <ul style="list-style-type: none"> <li>3 FSAA0804-086E</li> <li>1/4" Hex Shank Slotted Insert Bits 4, 5.5, 6.5 mm</li> <li>3 FSBA0801-0803</li> <li>1/4" Hex Shank Phillips Insert Bits PH1, PH2, PH2, PH3</li> <li>3 FSCA0801-0803</li> <li>1/4" Hex Shank Pozzi Insert Bits PZ1, PZ2, PZ3</li> <li>4 FSDA0803-0806</li> <li>1/4" Hex Shank Hexagon Insert Bits 3, 4, 5, 6 mm</li> <li>7 FSEA0810-0840</li> <li>1/4" Hex Shank Star Insert Bits T10, T15, T20, T25, T27, T30, T40</li> <li>7 FSGA0810-0840</li> <li>1/4" Hex Shank Star Tamperproof Insert Bits T10, T15, T20, T25, T27, T30, T40</li> <li>2 FSHA0801 &amp; 0802</li> <li>1/4" Hex Shank Square Insert Bits SQ1 &amp; SQ2</li> <li>1 FTGB0807</li> <li>1/4" x 1/4" Quick Change Magnetic Bit Holder</li> </ul> |          |
| PLASTIC BOX: W115 x D85 x H37 (mm)  |          |

**31PCS**

Screwdriver Bit Set



|   |          |
|---|----------|
| ITEM NO.  | GABW3101 |
| CONTENTS  | 30 (SET) |
| <ul style="list-style-type: none"> <li>3 FSAA0804-086E</li> <li>1/4" Hex Shank Slotted Insert Bits 4, 5.5, 6.5 mm</li> <li>3 FSBA0801-0803</li> <li>1/4" Hex Shank Phillips Insert Bits PH1, PH2, PH2, PH3</li> <li>3 FSCA0801-0803</li> <li>1/4" Hex Shank Pozzi Insert Bits PZ1, PZ2, PZ3</li> <li>4 FSDA0803-0806</li> <li>1/4" Hex Shank Hexagon Insert Bits 3, 4, 5, 6 mm</li> <li>7 FSEA0810-0840</li> <li>1/4" Hex Shank Star Insert Bits T10, T15, T20, T25, T27, T30, T40</li> <li>7 FSGA0810-0840</li> <li>1/4" Hex Shank Star Tamperproof Insert Bits T10, T15, T20, T25, T27, T30, T40</li> <li>2 FSHA0801 &amp; 0802</li> <li>1/4" Hex Shank Square Insert Bits SQ1 &amp; SQ2</li> <li>1 FTGA0808</li> <li>1/4" x 1/4" Universal Swivel Magnetic Quick Release Bit Holder</li> </ul> |          |
| PLASTIC BOX: W115 x D85 x H37 (mm)  |          |

**31PCS**

1/4" Hex Drive Mini Ratchet Bit Set



|  |          |
|--|----------|
| ITEM NO.   | GABW3103 |
| CONTENTS   | 30 (SET) |
| <ul style="list-style-type: none"> <li>3 FSAA0804-086E</li> <li>1/4" Hex Shank Slotted Insert Bits 4, 5.5, 6.5 mm</li> <li>3 FSBA0801-0803</li> <li>1/4" Hex Shank Phillips Insert Bits PH1, PH2, PH3</li> <li>3 FSCA0801-0803</li> <li>1/4" Hex Shank Pozzi Insert Bits PZ1, PZ2, PZ3</li> <li>4 FSDA0803-0806</li> <li>1/4" Hex Shank Hexagon Insert Bits 3, 4, 5, 6 mm</li> <li>7 FSEA0810-0840</li> <li>1/4" Hex Shank Star Insert Bits T10, T15, T20, T25, T27, T30, T40</li> <li>7 FSGA0810-0840</li> <li>1/4" Hex Shank Star Tamperproof Insert Bits T10, T15, T20, T25, T27, T30, T40</li> <li>2 FSHA0801 &amp; 0802</li> <li>1/4" Hex Shank Square Insert Bits SQ1 &amp; SQ2</li> <li>1 FSKA0808</li> <li>1/4" (H) x 1/4" Dr. Socket Adapter</li> <li>1 CHDV0801</li> <li>1/4" (H) 60 Teeth Mini Reversible Bit Ratchet Handle</li> </ul> |          |
| PLASTIC BOX: W115 x D85 x H37 (mm)   |          |

**34PCS**

1/4" Hex Drive Mini Ratchet Bit Set



|   |       |          |
|---|-------|----------|
| ITEM NO.  | Satin | GADW3401 |
| CONTENTS  |       | 30 (SET) |
| <ul style="list-style-type: none"> <li>3 FSAA0803-0808</li> <li>1/4" Hex Shank Slotted Insert Bits 3, 4, 5.5, 6.5, 8 mm</li> <li>4 FSBA0801-0803</li> <li>1/4" Hex Shank Phillips Insert Bits PH1, PH2x2pcs, PH3</li> <li>3 FSCA0801-0803</li> <li>1/4" Hex Shank Pozzi Insert Bits PZ1, PZ2, PZ3</li> <li>4 FSDA0802-0808</li> <li>1/4" Hex Shank Hexagon Insert Bits 2, 2.5, 3, 4, 5, 6, 7, 8 mm</li> <li>7 FSEA0806-0809</li> <li>1/4" Hex Shank Star Insert Bits T6, T7, T8, T9</li> <li>7 FSGA0810-0840</li> <li>1/4" Hex Shank Star Tamperproof Insert Bits T10, T15, T20, T25, T27, T30, T40</li> <li>1 FSKA0808</li> <li>1/4" x 1/4" Dr. Socket Adapter</li> <li>1 FTDF0810</li> <li>1/4" x 1/4" Magnetic Bit Holder</li> <li>1 CHEV0811</li> <li>1/4" (H) 60 Teeth Locking Flexible Head Mini Reversible Bit Ratchet Handle</li> </ul> |       |          |
| PLASTIC BOX: W124 x D70.5 x H35 (mm)  |       |          |




**1/4" Hex Shank 2-In-1 Countersink Power Bits**

- High Strength S2 Steel Bits
- Tempered and hardened
- Quickly use one bit to countersink and screw
- 1/4" hex shank with power groove



SPECIAL DESIGNED PHILLIPS TIP

| TYPE | ITEM NO.  | SIZE | L (mm) | W  | H   |
|------|-----------|------|--------|----|-----|
| +    | FWAA0802G | PH2  | 50     | 20 | 240 |



2PCS Blister


Simple, quick and easy to use one bit to countersink and screw

**1/4" Hex Shank Phillips Quick Change Magnetic Power Bits**

- High Strength S2 Steel Bits
- Tempered and hardened
- External strong magnetic color collar for static screw retention and positioning
- 1/4" hex shank with power groove



Magnetic




Blister

| TYPE | ITEM NO. | SIZE | L (mm) | W  | H   |
|------|----------|------|--------|----|-----|
| +    | FQBB0802 | PH2  | 50     | 15 | 180 |

Strong magnetic silver color ring inside the anodized color collar for positive screw retention and positioning

**1/4" Hex Shank Square Quick Change Magnetic Power Bits**

- High Strength S2 Steel Bits
- Tempered and hardened
- External strong magnetic color collar for static screw retention and positioning
- 1/4" hex shank with power groove



Magnetic



Blister

| TYPE | ITEM NO. | SIZE | L (mm) | W  | H   |
|------|----------|------|--------|----|-----|
| 0    | FQHB0802 | SQ2  | 50     | 15 | 180 |

Strong magnetic silver color ring inside the anodized color collar for positive screw retention and positioning



**10PCS**

Power Screwdriver Bit Set



|          |  |          |
|----------|--|----------|
| ITEM NO. | CONTENTS   | 50 (SET) |
| GAAW1002 | 10 Double End Phillips #1 Insert Bit PH1 x 65mm(L) |          |
| GAAW1001 | 10 Double End Phillips #2 Insert Bit PH2 x 65mm(L) |          |
| GAAW1003 | 10 Double End Phillips #3 Insert Bit PH3 x 65mm(L) |          |

**10PCS**

Double End Power Bit Set

- Made of S2 Alloy Steel Material
- Precision machined tip
- Full hardened & tempered
- Manufacturing according to DIN ISO 2380-1 & DIN ISO 8764-1



|          |   |          |
|----------|---|----------|
| ITEM NO. | CONTENTS  | 50 (SET) |
| GAAW1004 | 10 Double End Power Bit PH2 x 1.0 x 6mm - 65mm(L) |          |

Blister

**Magnetic Power Bit Holder**

- Strong magnetic bit retention ensures a safe grip of bits and screws
- 1/4" hex fitting for power tools or hand drivers
- Material: Shaft Body (Chrome Vanadium Alloy Steel) / sleeve socket (Stainless Steel)
- Overall Length: 60mm



| ITEM NO.  | SIZE        | L (mm) | W (mm) | H (mm) |
|-----------|-------------|--------|--------|--------|
| FTDC0808G | 1/4" x 1/4" | 60     | 15     | 180    |

**1/4" Hex Shank Magnetic Power Nut Setter**

- Made of Chrome Vanadium Steel
- Precision machined tip for proper fit
- Magnetic shaft holds fastener securely
- Rugged single-piece construction provides long service life under constant use
- Ideal for quick and easy driving of nuts, bolts and hex head screws



| Zinc Phosphate Finished |           |             |        |        |
|-------------------------|-----------|-------------|--------|--------|
| TYPE                    | ITEM NO.  | SIZE (mm)   | L (mm) | W (mm) |
| ○                       | BEAA0806G | 6           | 65     | 12     |
| ○                       | BEAA0807G | 7           | 65     | 12     |
| ○                       | BEAA0808G | 8           | 65     | 12     |
| ○                       | BEAA0810G | 10          | 65     | 12     |
| ○                       | BEAA0813G | 13          | 65     | 12     |
| TYPE                    | ITEM NO.  | SIZE (inch) | L (mm) | W (mm) |
| ○                       | BFAA0808G | 1/4         | 65     | 12     |
| ○                       | BFAA0812G | 3/8         | 65     | 12     |
| TYPE                    | ITEM NO.  | SIZE (mm)   | L (mm) | W (mm) |
| ○                       | BEAB0808G | 8           | 100    | 12     |

**1/4" Hex Shank Magnetic Power Nut Setter**

- Made of S2 Alloy Steel
- Precision machined tip for proper fit
- Magnetic shaft holds fastener securely
- Rugged single-piece construction provides long service life under constant use
- Ideal for quick and easy driving of nuts, bolts and hex head screws



| Zinc Phosphate Finished |           |           |        |        |
|-------------------------|-----------|-----------|--------|--------|
| TYPE                    | ITEM NO.  | SIZE (mm) | L (mm) | W (mm) |
| ○                       | BEAD0808G | 8         | 200    | 12     |

**1/4" Hex Shank Socket Adapter**

- Made of Chrome Vanadium Alloy Steel
- Square drive with ball retainer
- 1/4" hex fitting for power tools or hand drivers



| Zinc Phosphate Finished |             |        |        |        |
|-------------------------|-------------|--------|--------|--------|
| ITEM NO.                | SIZE        | L (mm) | W (mm) | H (mm) |
| FPKA0808G               | 1/4" x 1/4" | 50     | 15     | 180    |
| FPKA0812G               | 1/4" x 3/8" | 65     | 15     | 180    |
| FPKA0816G               | 1/4" x 1/2" | 72     | 15     | 180    |

**3PCS Power Socket Adapter Set**



| Zinc Phosphate Finished |   |     |        |        |
|-------------------------|---|-----|--------|--------|
| ITEM NO.                | CONTENTS  | QTY | W (mm) | H (mm) |
| GAAR0301                | 1 FPKA0808<br>1/4" Hex Shank Socket Adapter<br>1/4" x 1/4" L=50mm | 20  | 80     |        |
|                         | 1 FPKA0812<br>1/4" Hex Shank Socket Adapter<br>1/4" x 3/8" L=65mm | 20  | 80     |        |
|                         | 1 FPKA0816<br>1/4" Hex Shank Socket Adapter<br>1/4" x 1/2" L=72mm | 20  | 80     |        |

Color Box



**Magnetic Power Bit Holder**

- Strong magnetic bit retention ensures a safe grip of bits and screws
- 1/4" hex fitting for power tools or hand drivers
- Material: Shaft Body (Chrome Vanadium Alloy Steel) / sleeve socket (Stainless Steel)
- Overall Length: 60mm



| ITEM NO. | SIZE        | L (mm) | W (mm) | H (mm) |
|----------|-------------|--------|--------|--------|
| FTDC0808 | 1/4" x 1/4" | 60     | 15     | 270    |

**1/4" Hex Shank Socket Adapter**

- Made of Chrome Vanadium Alloy Steel
- 1/4" square drive with ball retainer



| Zinc Phosphate Finished |             |        |        |        |
|-------------------------|-------------|--------|--------|--------|
| ITEM NO.                | SIZE        | L (mm) | W (mm) | H (mm) |
| FSKA0808                | 1/4" x 1/4" | 25     | 30     | 360    |

**1/4" Hex Shank Socket Adapter**

- Made of Chrome Vanadium Alloy Steel
- Square drive with ball retainer
- 1/4" hex fitting for power tools or hand drivers



| Zinc Phosphate Finished |             |        |        |        |
|-------------------------|-------------|--------|--------|--------|
| ITEM NO.                | SIZE        | L (mm) | W (mm) | H (mm) |
| FPKA0808                | 1/4" x 1/4" | 50     | 20     | 240    |
| FPKA0812                | 1/4" x 3/8" | 65     | 15     | 180    |
| FPKA0816                | 1/4" x 1/2" | 72     | 10     | 120    |

**1/4" Hex Shank Magnetic Power Nut Setter**

- Made of Chrome Vanadium Steel
- Precision machined tip for proper fit
- Magnetic shaft holds fastener securely
- Rugged single-piece construction provides long service life under constant use
- Ideal for quick and easy driving of nuts, bolts and hex head screws



| Zinc Phosphate Finished |          |             |        |        |
|-------------------------|----------|-------------|--------|--------|
| TYPE                    | ITEM NO. | SIZE (mm)   | L (mm) | W (mm) |
| ○                       | BEAA0806 | 6           | 65     | 50     |
| ○                       | BEAA0807 | 7           | 65     | 50     |
| ○                       | BEAA0808 | 8           | 65     | 50     |
| ○                       | BEAA0810 | 10          | 65     | 50     |
| ○                       | BEAA0813 | 13          | 65     | 50     |
| TYPE                    | ITEM NO. | SIZE (inch) | L (mm) | W (mm) |
| ○                       | BFAA0808 | 1/4         | 65     | 50     |
| ○                       | BFAA0812 | 3/8         | 65     | 50     |
| TYPE                    | ITEM NO. | SIZE (mm)   | L (mm) | W (mm) |
| ○                       | BEAB0808 | 8           | 100    | 50     |

**1/4" Hex Shank Magnetic Power Nut Setter**

- Made of S2 Alloy Steel
- Precision machined tip for proper fit
- Magnetic shaft holds fastener securely
- Rugged single-piece construction provides long service life under constant use
- Ideal for quick and easy driving of nuts, bolts and hex head screws



| Zinc Phosphate Finished |          |           |        |        |
|-------------------------|----------|-----------|--------|--------|
| TYPE                    | ITEM NO. | SIZE (mm) | L (mm) | W (mm) |
| ○                       | BEAD0808 | 8         | 200    | 10     |

**1/4" Hex Shank Phillips Magnetic Power Screwdriver Bits**

- Made of S2 Alloy Steel Material
- Precision machined and magnetic tip
- Fully hardened & tempered



| Zinc Phosphate Finished |          |      |      |        |
|-------------------------|----------|------|------|--------|
| TYPE                    | ITEM NO. | Ø mm | SIZE | L (mm) |
| +                       | FSLA0802 | 4.5  | PH2  | 50     |
| +                       | FSLB0802 | 4.5  | PH2  | 100    |
| +                       | FSLC0802 | 4.5  | PH2  | 150    |

| Zinc Phosphate Finished |          |      |      |        |
|-------------------------|----------|------|------|--------|
| TYPE                    | ITEM NO. | Ø mm | SIZE | L (mm) |
| +                       | FSLA0802 | 4.5  | PH2  | 100    |
| +                       | FSLB0802 | 4.5  | PH2  | 50     |
| +                       | FSLC0802 | 4.5  | PH2  | 800    |

Color Box



**New Designed Anti-Slip Phillips Tips**  
THESE RIBS HELP REDUCE CAMOUT OR SLIPPAGE OF THE DRIVER BITS DURING OPERATION

This advanced Phillips tip ensures the driver is securely fitted to the screw. It can effectively eliminate the possible damages to the screw heads. The ribbed and precision machined tip (driver) also provides consistent engagement to the screw. It is perfect to use and drive the screw in the hard to reach areas.

**1/4" Hex Shank Anti-Slip Phillips Magnetic Power Screwdriver Bits**

- Made of S2 Alloy Steel Material
- Precision machined and magnetic tip
- Fully hardened & tempered
- New designed & improved anti-slip Phillips tip



Zinc Phosphate Finished

| TYPE | ITEM NO. | Ø (mm) | SIZE | L (mm) | W (mm) | H (mm) |
|------|----------|--------|------|--------|--------|--------|
| +    | FSMA0802 | 4.8    | PH2  | 50     | 100    | 1600   |
| +    | FSMB0802 | 4.8    | PH2  | 100    | 50     | 800    |

Zinc Phosphate Finished

| TYPE | ITEM NO. | Ø (mm) | SIZE | L (mm) | W (mm) | H (mm) |
|------|----------|--------|------|--------|--------|--------|
| +    | FSMC0802 | 4.8    | PH2  | 150    | 50     | 800    |

**1/4" Hex Shank Star Power Screwdriver Bits**

- Made of S2 Alloy Steel Material
- Precision machined tip
- Fully hardened & tempered



Zinc Phosphate Finished


| TYPE | ITEM NO. | Ø (mm) | SIZE | L (mm) | W (mm) | H (mm) |
|------|----------|--------|------|--------|--------|--------|
| +    | FSSA0810 | 4      | T10  | 50     | 100    | 1600   |
| +    | FSSA0815 | 4      | T15  | 50     | 100    | 1600   |
| +    | FSSA0820 | 4.5    | T20  | 50     | 100    | 1600   |
| +    | FSSA0825 | 5      | T25  | 50     | 100    | 1600   |
| +    | FSSA0827 | 6      | T27  | 50     | 100    | 1600   |
| +    | FSSA0830 | 6      | T30  | 50     | 100    | 1600   |
| +    | FSSA0840 | 7.2    | T40  | 50     | 100    | 1600   |

Zinc Phosphate Finished

| TYPE | ITEM NO. | Ø (mm) | SIZE | L (mm) | W (mm) | H (mm) |
|------|----------|--------|------|--------|--------|--------|
| +    | FSSD0810 | 4      | T10  | 70     | 100    | 1600   |
| +    | FSSD0815 | 4      | T15  | 70     | 100    | 1600   |
| +    | FSSD0820 | 4.5    | T20  | 70     | 100    | 1600   |
| +    | FSSD0825 | 5      | T25  | 70     | 100    | 1600   |
| +    | FSSD0827 | 6      | T27  | 70     | 100    | 1200   |
| +    | FSSD0830 | 6      | T30  | 70     | 100    | 1200   |
| +    | FSSD0840 | 7.2    | T40  | 70     | 100    | 1200   |

**1/4" Hex Shank Phillips Power Screwdriver Bits**

- Made of S2 Alloy Steel Material
- Precision machined tip
- Fully hardened & tempered



Zinc Phosphate Finished

| TYPE | ITEM NO. | Ø (mm) | SIZE | L (mm) | W (mm) | H (mm) |
|------|----------|--------|------|--------|--------|--------|
| +    | FSIA0801 | 5      | PH1  | 50     | 100    | 1600   |
| +    | FSIA0802 | 6      | PH2  | 50     | 100    | 1600   |
| +    | FSIA0803 | 6      | PH3  | 50     | 100    | 1600   |
| +    | FSID0801 | 5      | PH1  | 70     | 100    | 1600   |
| +    | FSID0802 | 6      | PH2  | 70     | 100    | 1600   |
| +    | FSID0803 | 6      | PH3  | 70     | 100    | 1600   |

Zinc Phosphate Finished

| TYPE | ITEM NO. | Ø (mm) | SIZE | L (mm) | W (mm) | H (mm) |
|------|----------|--------|------|--------|--------|--------|
| +    | FSIB0801 | 5      | PH1  | 100    | 50     | 800    |
| +    | FSIB0802 | 6      | PH2  | 100    | 50     | 800    |
| +    | FSIB0803 | 6      | PH3  | 100    | 50     | 800    |
| +    | FSIC0802 | 6      | PH2  | 150    | 50     | 800    |

**1/4" Hex Shank Slotted Power Screwdriver Bits**

- Made of S2 Alloy Steel Material
- Precision machined tip
- Fully hardened & tempered



Zinc Phosphate Finished

| TYPE | ITEM NO. | Ø (mm) | SIZE | L (mm) | W (mm) | H (mm) |      |
|------|----------|--------|------|--------|--------|--------|------|
| +    | FSQA0803 | 3      | 0.5  | 3      | 50     | 100    | 1600 |
| +    | FSQA083E | 3.5    | 0.6  | 3.5    | 50     | 100    | 1600 |
| +    | FSQA0804 | 4      | 0.5  | 4      | 50     | 100    | 1600 |
| +    | FSQA084E | 4.5    | 0.6  | 4.5    | 50     | 100    | 1600 |
| +    | FSQA085E | 5.5    | 0.8  | 5.5    | 50     | 100    | 1600 |
| +    | FSQA0806 | 6      | 1.0  | 6      | 50     | 100    | 1600 |
| +    | FSQA086E | 6.5    | 1.2  | 7.2    | 50     | 100    | 1600 |
| +    | FSQA0808 | 8      | 1.2  | 8      | 50     | 100    | 1600 |

**1/4" Hex Shank Hexagon Power Screwdriver Bits**

- Made of S2 Alloy Steel Material
- Precision machined tip
- Fully hardened & tempered



Zinc Phosphate Finished

| TYPE | ITEM NO. | Ø (mm) | SIZE | L (mm) | W (mm) | H (mm) |
|------|----------|--------|------|--------|--------|--------|
| +    | FSOA0803 | 4      | 3    | 50     | 100    | 1600   |
| +    | FSOA0804 | 5      | 4    | 50     | 100    | 1600   |
| +    | FSOA0805 | 6      | 5    | 50     | 100    | 1600   |
| +    | FSOA0806 | 7.2    | 6    | 50     | 100    | 1600   |
| +    | FSOA0808 | 9      | 8    | 50     | 100    | 1200   |

**1/4" Hex Shank Pozi Power Screwdriver Bits**

- Made of S2 Alloy Steel Material
- Precision machined tip
- Fully hardened & tempered



Zinc Phosphate Finished

| TYPE | ITEM NO. | Ø (mm) | SIZE | L (mm) | W (mm) | H (mm) |
|------|----------|--------|------|--------|--------|--------|
| +    | FSRA0801 | 5      | PZ1  | 50     | 100    | 1600   |
| +    | FSRA0802 | 6      | PZ2  | 50     | 100    | 1600   |
| +    | FSRA0803 | 6      | PZ3  | 50     | 100    | 1600   |

Blister

**1/4" Hex Shank Slotted Power Screwdriver Bits**

- Made of S2 Alloy Steel Material
- Precision machined tip
- Fully hardened & tempered



Zinc Phosphate Finished

| TYPE | ITEM NO.  | Ø (mm) | SIZE | L (mm) | W (mm) | H (mm) |    |
|------|-----------|--------|------|--------|--------|--------|----|
| +    | FSQA0803G | 3      | 0.5  | 3      | 50     | 15     | 60 |
| +    | FSQA083EG | 3.5    | 0.6  | 3.5    | 50     | 15     | 60 |
| +    | FSQA0804G | 4      | 0.5  | 4      | 50     | 15     | 60 |
| +    | FSQA084EG | 4.5    | 0.6  | 4.5    | 50     | 15     | 60 |
| +    | FSQA085EG | 5.5    | 0.8  | 5.5    | 50     | 15     | 60 |
| +    | FSQA0806G | 6      | 1.0  | 6      | 50     | 15     | 60 |
| +    | FSQA086EG | 6.5    | 1.2  | 7.2    | 50     | 15     | 60 |
| +    | FSQA0808G | 8      | 1.2  | 8      | 50     | 15     | 60 |

NOTE: FSQA0808G, Blister (8PCS/SET)

**1/4" Hex Shank Hexagon Power Screwdriver Bits**

- Made of S2 Alloy Steel Material
- Precision machined tip
- Fully hardened & tempered



Zinc Phosphate Finished

| TYPE | ITEM NO.  | Ø (mm) | SIZE | L (mm) | W (mm) | H (mm) |
|------|-----------|--------|------|--------|--------|--------|
| +    | FSOA0803G | 4      | 3    | 50     | 15     | 60     |
| +    | FSOA0804G | 5      | 4    | 50     | 15     | 60     |
| +    | FSOA0805G | 6      | 5    | 50     | 15     | 60     |
| +    | FSOA0806G | 7.2    | 6    | 50     | 15     | 60     |
| +    | FSOA0808G | 9      | 8    | 50     | 15     | 60     |

NOTE: FSOA0808G, Blister (8PCS/SET)

**1/4" Hex Shank Pozi Power Screwdriver Bits**

- Made of S2 Alloy Steel Material
- Precision machined tip
- Fully hardened & tempered



Zinc Phosphate Finished

| TYPE | ITEM NO.  | Ø (mm) | SIZE | L (mm) | W (mm) | H (mm) |
|------|-----------|--------|------|--------|--------|--------|
| +    | FSRA0801G | 5      | PZ1  | 50     | 15     | 60     |
| +    | FSRA0802G | 6      | PZ2  | 50     | 15     | 60     |
| +    | FSRA0803G | 6      | PZ3  | 50     | 15     | 60     |

**1/4" Hex Shank Phillips Power Screwdriver Bits**

- Made of S2 Alloy Steel Material
- Precision machined tip
- Fully hardened & tempered




Zinc Phosphate Finished

| TYPE | ITEM NO.  | Ø (mm) | SIZE | L (mm) | W (mm) | H (mm) |
|------|-----------|--------|------|--------|--------|--------|
| +    | FSIA0801G | 5      | PH1  | 50     | 15     | 60     |
| +    | FSIA0802G | 6      | PH2  | 50     | 15     | 60     |
| +    | FSIA0803G | 6      | PH3  | 50     | 15     | 60     |
| +    | FSID0801G | 5      | PH1  | 70     | 15     | 60     |
| +    | FSID0802G | 6      | PH2  | 70     | 15     | 60     |
| +    | FSID0803G | 6      | PH3  | 70     | 15     | 60     |

**1/4" Hex Shank Phillips Power Screwdriver Bits**

- Made of S2 Alloy Steel Material
- Precision machined tip
- Fully hardened & tempered



Zinc Phosphate Finished

| TYPE | ITEM NO.  | Ø (mm) | SIZE | L (mm) | W (mm) | H (mm) |
|------|-----------|--------|------|--------|--------|--------|
| +    | FSIB0801G | 5      | PH1  | 100    | 15     | 90     |
| +    | FSIB0802G | 6      | PH2  | 100    | 15     | 90     |
| +    | FSIB0803G | 6      | PH3  | 100    | 15     | 90     |



**1/4" Hex Shank Star Power Screwdriver Bits**

- Made of S2 Alloy Steel Material
- Precision machined tip
- Fully hardened & tempered



Zinc Phosphate Finished


| TYPE | ITEM NO.  | Ø (mm) | SIZE | L (mm) | W (mm) | H (mm) |
|------|-----------|--------|------|--------|--------|--------|
| +    | FSSA0810G | 4      | T10  | 50     | 15     | 60     |
| +    | FSSA0815G | 4      | T15  | 50     | 15     | 60     |
| +    | FSSA0820G | 4.5    | T20  | 50     | 15     | 60     |
| +    | FSSA0825G | 5      | T25  | 50     | 15     | 60     |
| +    | FSSA0827G | 6      | T27  | 50     | 15     | 60     |
| +    | FSSA0830G | 6      | T30  | 50     | 15     | 60     |
| +    | FSSA0840G | 7.2    | T40  | 50     | 15     | 60     |

Zinc Phosphate Finished

| TYPE | ITEM NO.  | Ø (mm) | SIZE | L (mm) | W (mm) | H (mm) |
|------|-----------|--------|------|--------|--------|--------|
| +    | FSSD0810G | 4      | T10  | 70     | 15     | 60     |
| +    | FSSD0815G | 4      | T15  | 70     | 15     | 60     |
| +    | FSSD0820G | 4.5    | T20  | 70     | 15     | 60     |
| +    | FSSD0825G | 5      | T25  | 70     | 15     | 60     |
| +    | FSSD0827G | 6      | T27  | 70     | 15     | 60     |
| +    | FSSD0830G | 6      | T30  | 70     | 15     | 60     |
| +    | FSSD0840G | 7.2    | T40  | 70     | 15     | 60     |

Blister

**MAGNETIC**



**TOPTUL**  
Power Screwdriver Bits



**New Designed Anti-Slip Phillips Tips**

THESE RIBS HELP REDUCE CAMOUT OR SLIPPAGE OF THE DRIVER BITS DURING OPERATION

This advanced Phillips tip ensures the driver is securely fitted to the screw. It can effectively eliminate the possible damages to the screw heads. The ribbed and precision machined tip (driver) also provides consistent engagement to the screw. It is perfect to use and drive the screw in the hard to reach areas.

**1/4" Hex Shank Anti-Slip Phillips Magnetic Power Screwdriver Bits**

- Made of S2 Alloy Steel Material
- Precision machined and magnetic tip
- Fully hardened & tempered
- New designed & improved anti-slip Phillips tip

Blister (10PCS)

FSMA

Zinc Phosphate Finished

| TYPE | ITEM NO.  | Ø mm | SIZE | L (mm) | Hand | Box |
|------|-----------|------|------|--------|------|-----|
| +    | FSMA0802G | 4.8  | PH2  | 50     | 15   | 60  |

**1/4" Hex Shank Anti-Slip Phillips Magnetic Power Screwdriver Bits**

- Made of S2 Alloy Steel Material
- Precision machined and magnetic tip
- Fully hardened & tempered
- New designed & improved anti-slip Phillips tip

Blister (4PCS)

FSMB

FSMC

Zinc Phosphate Finished

| TYPE | ITEM NO.  | Ø mm | SIZE | L (mm) | Hand | Box |
|------|-----------|------|------|--------|------|-----|
| +    | FSMB0802G | 4.8  | PH2  | 100    | 15   | 90  |

Zinc Phosphate Finished

| TYPE | ITEM NO.  | Ø mm | SIZE | L (mm) | Hand | Box |
|------|-----------|------|------|--------|------|-----|
| +    | FSMC0802G | 4.8  | PH2  | 150    | 12   | 48  |

**1/4" Hex Shank Phillips Magnetic Power Screwdriver Bits**

- Made of S2 Alloy Steel Material
- Precision machined and magnetic tip
- Fully hardened & tempered

Blister (10PCS)

FSLA

Zinc Phosphate Finished

| TYPE | ITEM NO.  | Ø mm | SIZE | L (mm) | Hand | Box |
|------|-----------|------|------|--------|------|-----|
| +    | FSLA0802G | 4.5  | PH2  | 50     | 15   | 60  |

**1/4" Hex Shank Phillips Magnetic Power Screwdriver Bits**

- Made of S2 Alloy Steel Material
- Precision machined and magnetic tip
- Fully hardened & tempered

Blister (4PCS)

FSLB

FSLC

Zinc Phosphate Finished

| TYPE | ITEM NO.  | Ø mm | SIZE | L (mm) | Hand | Box |
|------|-----------|------|------|--------|------|-----|
| +    | FSLB0802G | 4.5  | PH2  | 100    | 15   | 90  |

Zinc Phosphate Finished

| TYPE | ITEM NO.  | Ø mm | SIZE | L (mm) | Hand | Box |
|------|-----------|------|------|--------|------|-----|
| +    | FSLC0802G | 4.5  | PH2  | 150    | 12   | 48  |



**PROFESSIONAL  
HAND TOOLS**

**PLIERS  
SERIES**

Exceptional multi-purposes cutting and gripping tools with various capacity to use.

